

[Home](#)

[Products](#)

[Support](#)

[Industries](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Hydraulic Filters](#) / [Low Pressure Spin...](#) / [50AT210BBPGS20H](#)

[Services](#)

# Low Pressure Spin-On Filters 12AT/50AT Series

[Solutions](#)

Part #: 50AT210BBPGS20H

[Where to Buy](#)



Our rebranded Spin-On Low Pressure Filter Series are cost effective yet uncompromising in performance and quality. Max allowable operating pressure of 150 PSI/10.3 Bar and capable of flows up to 50 GPM/190 LPM depending on viscosity.

[View Series Page](#)

[View Catalog\(s\)](#)

[Share / Email](#)

[Print](#)

## Technical Specifications

Filter Element:	10 micron microglass	Indicator	
Port Connection	SAE-20 ports	Pressure	20, 1.4
Type:		Setting:	
Indicator Type:	Sold separately	Options:	Inlet & Outlet, both sides (all ports drilled & tapped)
Options:	Inlet & Outlet, both sides (all ports drilled & tapped)	Housing	
Mounting Type:	Inline	Material:	Low Carbon Steel
Pressure Rating:	150, 10.3	For Fluid Type:	Suitable for use with mineral and vegetable oils, and some synthetic oils. For other fluids, please e-mail Technical Support at HFF.technical@support.parker.com or call 800-253-1258.
Flow Rate:	136, 43	Maximum	
Bypass Valve		Operating	225, 107
(psi):	25	Temperature:	
Filter Element		Weight:	4.8, 2.18
Type:	10 micron microglass, Canister	Compatible	
Seal Material:	Nitrile	Element:	929445
Bypass Valve		Flow Rate	
Pressure Rating:	25, 1.7	(gpm):	43
Port Type:	SAE-20 ports	Seal Material:	Nitrile
Indicator Type:	Sold separately		

[Safety Warning](#)

## Item Information

Often, economic conditions dictate what type of filter is used on a piece of equipment. When costs are tight, you need a filter that is inexpensive, yet uncompromising in performance and quality. Parker's spin-on filters fit that need. They are built to fit demanding design parameters in today's mobile and industrial equipment. No compromising.

Applications for Spin-On Filters

[Products](#)

**CAD Drawings + Files**



[Support](#)

[Industries](#)

**Related Documents**



[Services](#)

[Solutions](#)

[Where to Buy](#)



**Parker Sales Company UK**

[psc.uk.webform@support.parker.com](mailto:psc.uk.webform@support.parker.com)

[+44 \(0\)1926 317878](tel:+44(0)1926317878)

+ [Company Information](#)

+ [Global Operations](#)

+ [Help & Support](#)

+ [Follow Us :](#)



[Home](#)

[Products](#)

[Support](#)

[Industries](#)

[Services](#)

[Solutions](#)

[Where to Buy](#)

---