

Replacement Elements - H100/200/300 Series



Replacement elements for Parker H100/200/300 High Pressure Filter Hydraulic Series, feature high quality glass fibre and metal mesh filter materials

[View Series Page](#)[View Catalog\(s\)](#)[Share / Email](#)[Print](#)

Technical Specifications

Model Number:	170S120B	Length:	68 mm
Micron Rating:	2 µm	Diameter:	55 mm
Filter Element Type:	Microglass	Seal Material:	Ethylene Propylene
For Use With:	H100	For Fluid Type:	Phosphate esters
Size:	Length 1		

[Safety Warning](#)

Item Information

High quality replacements for H100/200/300 high pressure hydraulic filters are available in a wide variety of sizes and several filter materials and micron ratings.

Filter media options include high quality glass fibre, with several micron ratings, also including versions with high collapse differential pressure ratings. There are also several metal mesh element options available.

These elements can be used in several types of applications using mineral oils, phosphate esters, water glycols and ammonia containing fluids.

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files

Related Documents



[Parker Sales Company UK](#)

[psc.uk.webform@support.parker.com](#)
[Support](#)
[+44 \(0\)1926 317878](#)

[Industries](#)

[+ Company Information](#)
[Services](#)

[+ Global Operations](#)
[Solutions](#)

[Where to Buy](#)
[Where to Support](#)

[+ Follow Us :](#)

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)



[Home](#)

[Products](#)

[Support](#)

[Industries](#)

[Services](#)

[Solutions](#)

[Where to Buy](#)
