

Home

Products

Support

Industries oducts / Filters, Collecto... / Filter Assemblies... / Hydraulic Filters / High Pressure In-... / 70L102QHBPXG162

পাল Pressure In-Line Filter - 70/70 Eco Series

Part #: 70L102QHBPXG162

Where to Buy







High pressure inline hydraulic oil filter series is a proven filter concept, with multiple connection options up to 500l/min and pressures up to 420 bar.

View Series Page

Share / Email

Print

Pr

Technical Specifications

Flow Rate: 0 to 130 l/min

Division: Hydraulic and Industrial Process Filtration EMEA

Brand: Parker

Indicator Pressure No indicator

Setting:

Seal Material: Nitrile Technology: Filtration

Bypass Valve Pressure

No by pass Rating:

Product Series: 70/70 Eco Series

G1" Connection Type:

Mining

Material handling Construction

Marine Power Generation

Industrial Machinery

Injection Moulding

Options: No by pass **Drilling machines**

Dumpers Hydraulic power units

Mobile cranes

Reach stackers

Container handling equipment

Cranes Excavators

> Crushing machines Propulsion systems Deck machinery

Wind turbines Hydropower

Servo controls

Suitable for use with mineral and vegetable oils,

and some synthetic oils 420 bar

Operating Pressure: Operating Temperature: -40°C to +100°C

Head:

Cast iron (GSI). Materials of

Construction:

Application:

For Fluid Type:

Steel. Max torque 40 Nm.

⚠ Safety Warning

Industry:

Item Information

The 70/70 Eco Series of high pressure filters are designed to satisfy demanding applications in the mobile and industrial markets. With multiple mounting options, this high pressure filter series is right filter for many applications. The 70/70 Eco Series filter series has a wide range of high capacity and low initial differential pressure elements, including a no metal content Eco element, offering excellent protection to system components.

The 70/70 Eco Serie offers several bowl lengths to secure the lowest possible pressure drop for each application. For critical applications such as servo or proportional controls, a no bypass high strength element combination ensures maximum protection.

The low hystereis differential pressure indicator fitted to this series is unrivalled in its performance.



• Industrial power units Support

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor. Industries

CAD Drawings + Files



<u>Solutions</u> **Related Documents** Where to Buy





Parker Sales Company UK

 $\frac{psc.uk.webform@support.parker.com}{+44~(0)1926~317878}$

+	Comp	any	Infor	mation
---	------	-----	-------	--------

- + Global Operations
- + Help & Support
- + Follow Us:

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



<u>Home</u>

Products

<u>Support</u>

<u>Industries</u>

<u>Services</u>

Solutions

Where to Buy