

<u>Home</u>

Products

Support

Industriesoducts / Filters, Collecto... / Filter Assemblies... / Hydraulic Filters / Medium Pressure I... / 80CN202QEVM3KG324

SWiedium Pressure Inline Filters CN Series

Solutions Part #: 80CN202QEVM3KG324 Where to Buy





The CN Series is a compact, cost effective, medium pressure filter designed with coreless filtration technology. CN Series bowl features a permanently fixed core designed to reduce solid waste and minimize disposal costs with every element change out.

View Series Page ☷ Share / Email ↔ View Catalog(s)

(+)

Print 🖶

Technical Specifications

Flow Rate: Filter Element Type: Seal Material: Port Connection Type: Specifications Met: A Safety Warning 280 l/min (74 gal/min) 02QE Ecoglass Fluorocarbon G2" n/a Bypass Valve Pressure Rating: Options: Micron Rating: Indicator Type: Indicator Pressure Setting: 3.5 bar (50 psi) Drain port 2 μm Visual Automatic Reset 2.5 bar

Item Information

Compressor Lube Oil Off-line Filter Loops Machine Tools (Automotive Standard) Hydrostatic Drive Charge Pumps Mobile Equipment Pilot Lines for Servo Controls Oil Patch Drilling Equipment Injection Molding

This partial list of applications for Parker CN series filters has a common factor, the need for an economical, medium pressure range filter with excellent fatigue pressure ratings. Prior to the availability of the CN filter, applications such as those listed were restricted by limitations of a spinon can, or forced into the higher cost range of high pressure filters.

The CN series fills this gap, and now with the newly increased fatigue rating from 550 to 800 psi, the applications are expanded.

Features

 \cdot 800 psi fatigue rating (eight times that of a spin-on)

· Diametral (side) seal between head and bowl

· Dust Seal

AD Drawings + Files	+
Aatches your system electrical connections	
asy selection of proper filtration)ptimize element life, prevent bypassing	
lo hidden deficiencies	
teliable performance throughout element life teduces downtime, maximizes element life	
Sreat performance value	
ess weight, smaller envelop and cleaner appearance	
Performs with "real world" service Sasier service, no galling	
lo downtime, no leaks	
Reduced downtime due to premature filter failures Reduced costs, better "fit" for the application	
enefits	
ignetion the application	
check element condition at a glance	
leduces pleat bunching, keeps performance consistent <u>ultiment</u> inent information is provided in an easy-to-compare format	
Miltelayered design produced high capacity and efficiency	
Weitings contamination from building up on bowl / head threads ow profile, lightweight and durable	
teduced importance of bowl torque	
Reven reliability in cyclic applications	
lyantages Alf Sector of the service under tough cyclic operating conditions Can be utilized in applications where high pressure filters may have been only option	
lyantages	
(isual, electrical or electrical/visual indicators available me	
Parker lass elements mance data disclosure	

Related Documents



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

- + Company Information
- + Global Operations
- + Help & Support
- + Follow Us :

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS. SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS

 $(\dots$



<u>Home</u>

- Products
- Support

Industries

Services

Solutions

Where to Buy