



<u>Home</u>

Products

Support

Industriesoducts / Filters, Collecto... / Filter Parts and ... / Hydraulic Filter ... / Replacement Eleme... / 928952Q

SREPlacement Elements - CN Series

Solutions

Part #: 928952Q Where to Buy







High efficiency genuine replacement elements for Parker 15/40/80CN Series medium pressure hydraulic filters.

View Series Page

Share / Email

Print

Pr

Technical Specifications

Division: Hydraulic and Industrial Process Filtration EMEA

For Use With: 15CN Brand: Parker Length: Length 2 Technology: Filtration Filter Element Type: 10Q Microglass Product Type: Hydraulic Oil Filter

Seal Material: Nitrile Micron Rating: 10 µm

Filter Type: Medium Pressure Inline Filter **Product Series:** Replacement Elements - CN Series

Industrial Manufacturing Equipment

- Automotive - Food & Beverage - Rubber & Plastics - Metals

· Off-road Machinery - Agriculture - Construction - Forestry - Lawn & Turf - Mining

Industry: - Materials Handling

> Government - Military - Defence

• Power Generation & Renewable Energy

 Transportation - Rail - Trucks & Buses

▲ Safety Warning

Compressor Lube OilOff-line Filter Loops

 Machine Tools (Automotive Standard) · Hydrostatic Drive Charge Pumps

• Mobile Equipment • Pilot Lines for Servo Controls

· Oil Patch Drilling Equipment Injection Molding

Suitable for use with mineral and vegetable oils, and some synthetic oils. 0 to 600 L/min

Flow Rate: Maximum: Operating Pressure: 70 bar (1015 psi) Seal material Nitrile: -40°C to +100°C (-40°F to +212°F)

Application:

For Fluid Type:

Operating Temperature: Seal material Fluoroelastomer:

-20°C to +120°C

(-4°F to +248°F)-40 to +100°C



Series is a range of medium pressure filters offering an economical 'multipurpose' filter solution.

Ħ

 \bigcirc

in series litters can are offered with two types of element:

Home
The conventional element, making use of the Microglass media and in some sizes also available with ParGelWater removal media.

Products
• The Ecoglass element, an environmentally friendly design without metal inner core. The Eco elements are used in versions of the CN filter with an Eco inner core fixed permanently inside the bowl of the filter. Having no metal content in the element reduces the overall weight with 50% and support makes it possible to dispose of the used element in an environmentally friendly way by incineration, also lowering disposal costs.

Industries ments are designed with the latest in filter media technology for first class system protection.

Setvices: nuine Parker replacement elements guarantees Parker's quality of filtration. Using after market filters with unknown media quality may save initial cost, but can increase overall costs by requiring more element change outs and potentially causing system downtime. Protect your Salutions nt by always buying genuine Parker replacement elements.

Where the Buttor mation or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files	+
Related Documents	+



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

	_	
_	Company	Information
т	COLLIDALIA	IIIIOIIIIauoii

+ Global Operations

+ Help & Support

+ Follow Us:

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS





 \mathbb{H} \mathbb{O}

<u>Home</u>

Products

<u>Support</u>

Industries

<u>Services</u>

Solutions

Where to Buy