

Products

Support

Industries oducts / Filters, Collecto... / Filter Parts and ... / Hydraulic Filter ... / Replacement Eleme... / 928953Q

Streplacement Elements - CN Series

Solutions Part #: 928953Q Where to Buy



High efficiency genuine replacement elements for Parker 15/40/80CN Series medium pressure hydraulic filters.

Ð

View Series Page \Xi Share / Email 📌 Print 🖶

Technical Specifications

Division: Hydraulic and Industrial Process Filtration EMEA For Use With: 15CN Lenath: Length 2 Application: Brand: Parker Filter Element Type: 02Q Microglass Technology: Filtration Product Type: Hydraulic Oil Filter For Fluid Type: Seal Material: Nitrile Flow Rate: Micron Rating: 2 µm Filter Type: Medium Pressure Inline Filter **Operating Pressure:** Product Series: **Replacement Elements - CN Series** Industrial Manufacturing Equipment - Automotive Operating - Food & Beverage Temperature: - Rubber & Plastics - Metals Off-road Machinery - Agriculture - Construction - Forestry - Lawn & Turf - Mining - Materials Handling Government - Military - Defence Power Generation & Renewable Energy

Compressor Lube Oil
Off-line Filter Loops

Machine Tools (Automotive Standard)

Suitable for use with mineral and vegetable oils, and

Hydrostatic Drive Charge Pumps

Oil Patch Drilling Equipment

 Mobile Equipment Pilot Lines for Servo Controls

Injection Molding

some synthetic oils. 0 to 600 L/min Maximum: 70 bar (1015 psi) Seal material Nitrile: -40°C to +100°C (-40°F to +212°F) Seal material Fluoroelastomer:

-20°C to +120°C (-4°F to +248°F)-40 to +100°C

Industry:

Transportation

- Rail

- Trucks & Buses

A Safety Warning

Series is a range of medium pressure filters offering an economical 'multipurpose' filter solution.

Parker Crysenes muers can are offered with two types of element:

Home • The conventional element, making use of the Microglass media and in some sizes also available with ParGelWater removal media.

Products • The Ecoglass element, an environmentally friendly design without metal inner core. The Eco elements are used in versions of the CN filter with an Eco inner core fixed permanently inside the bowl of the filter. Having no metal content in the element reduces the overall weight with 50% and Support Infakes it possible to dispose of the used element in an environmentally friendly way by incineration, also lowering disposal costs.

Industries ments are designed with the latest in filter media technology for first class system protection.

Set Higgs enuine Parker replacement elements guarantees Parker's quality of filtration. Using after market filters with unknown media quality may save initial cost, but can increase overall costs by requiring more element change outs and potentially causing system downtime. Protect your Salutions into a laways buying genuine Parker replacement elements.

Where to Buy prmation or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files

Related Documents

╋

+

 \bigcirc

F



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

- + Company Information
- + Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



<u>Home</u>

Products

Support

Industries

Services

Solutions

Where to Buy

 \bigcirc