

<u>Home</u>

Products

Support

86

Industriesoducts / Filters, Collecto... / Filter Parts and ... / Hydraulic Filter ... / Replacement Eleme... / 932657Q

SReplacement Elements - CN Series

Solutions Part #: 932657Q Where to Buy



High efficiency genuine replacement elements for Parker 15/40/80CN Series medium pressure hydraulic filters.

Ð

View Series Page 😑 Share / Email 🔿 Print 🖶

Technical Specifications

For Use With: 80CN Compressor Lube Oil
Off-line Filter Loops Hydraulic and Industrial Process Filtration EMEA Division: Machine Tools (Automotive Standard) Brand: Parker Hydrostatic Drive Charge Pumps Application: Length: Length 1 Mobile Equipment Pilot Lines for Servo Controls Technology: Filtration Oil Patch Drilling Equipment Filter Element Type: 05Q Microglass Injection Molding Product Type: Hydraulic Oil Filter Suitable for use with mineral and vegetable oils, and For Fluid Type: Seal Material: Nitrile some synthetic oils. Flow Rate: 0 to 600 L/min Micron Rating: 5 µm Maximum: Filter Type: Medium Pressure Inline Filter **Operating Pressure:** 70 bar (1015 psi) Product Series: **Replacement Elements - CN Series** Seal material Nitrile: Industrial Manufacturing Equipment -40°C to +100°C (-40°F to +212°F) - Automotive Operating - Food & Beverage Temperature: - Rubber & Plastics Seal material Fluoroelastomer: - Metals -20°C to +120°C (-4°F to +248°F)-40 to +100°C Off-road Machinery - Agriculture - Construction - Forestry - Lawn & Turf Industry: - Mining - Materials Handling Government - Military - Defence Power Generation & Renewable Energy Transportation - Rail - Trucks & Buses ▲ Safety Warning

Item Information

Second Series is a range of medium pressure filters offering an economical 'multipurpose' filter solution.

Parker an are offered with two types of element:

Home The conventional element, making use of the Microglass media and in some sizes also available with ParGelWater removal media.

Products glass element, an environmentally friendly design without metal inner core. The Eco elements are used in versions of the CN filter with an Eco inner core fixed permanently inside the bowl of the filter. Having no metal content in the element reduces the overall weight with 50% and Support to dispose of the used element in an environmentally friendly way by incineration, also lowering disposal costs.

Industries ments are designed with the latest in filter media technology for first class system protection.

<u>Settriges</u>enuine Parker replacement elements guarantees Parker's quality of filtration. Using after market filters with unknown media quality may save initial cost, but can increase overall costs by requiring more element change outs and potentially causing system downtime. Protect your <u>Solutions</u> nt by always buying genuine Parker replacement elements.

Where are buy prmation or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files

Related Documents



+



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

- + Company Information
- + Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



<u>Home</u>

- Products
- <u>Support</u>

Industries

Services

Solutions

Where to Buy