

) <u>H</u>

Home

Products

Support

Industriesoducts / Filters, Collecto... / Filter Parts and ... / Hydraulic Filter ... / Replacement Eleme... / 932666Q

SREPlacement Elements - CN Series

Solutions

Part #: 932666Q Where to Buy







High efficiency genuine replacement elements for Parker 15/40/80CN Series medium pressure hydraulic filters.

View Series Page

Share / Email

Print

Pr

Technical Specifications

For Use With: 80CN

Division: Hydraulic and Industrial Process Filtration EMEA

Length:Length 2Brand:ParkerFilter Element Type:05Q MicroglassTechnology:FiltrationSeal Material:FluoroelastomerProduct Type:Hydraulic Oil Filter

Filter Type: Medium Pressure Inline Filter

Micron Rating: 5 μm

Product Series: Replacement Elements - CN Series

Industrial Manufacturing Equipment

- Automotive - Food & Beverage - Rubber & Plastics

- Metals

Off-road Machinery
 Agriculture
 Construction
 Forestry
 Lawn & Turf
 Mining

Industry: - Mining - Materials Handling

• Government - Military - Defence

• Power Generation & Renewable Energy

TransportationRailTrucks & Buses

⚠ Safety Warning

Compressor Lube OilOff-line Filter Loops

Machine Tools (Automotive Standard)
Hydrostatic Drive Charge Pumps
Mobile Equipment

Mobile EquipmentPilot Lines for Servo Controls

Oil Patch Drilling Equipment
 Injection Molding

For Fluid Type: Suitable for use with mineral and vegetable oils, and some synthetic oils.

Flow Rate: 0 to 600 L/min

Operating Pressure: Maximum:
70 bar (1015 psi)
Seal material Nitrile:

Application:

Operating

Temperature:

Seal material Nitrile -40°C to +100°C (-40°F to +212°F)

Seal material Fluoroelastomer: -20°C to +120°C

(-4°F to +248°F)-40 to +100°C

1. 15(10(0000) Series is a range of medium pressure filters offering an economical 'multipurpose' filter solution.

 \mathbb{H}

 \bigcirc

series inters can are offered with two types of element:

Home
The conventional element, making use of the Microglass media and in some sizes also available with ParGelWater removal media.

Products
• The Ecoglass element, an environmentally friendly design without metal inner core. The Eco elements are used in versions of the CN filter with an Eco inner core fixed permanently inside the bowl of the filter. Having no metal content in the element reduces the overall weight with 50% and support makes it possible to dispose of the used element in an environmentally friendly way by incineration, also lowering disposal costs.

Industries ments are designed with the latest in filter media technology for first class system protection.

Setvices: nuine Parker replacement elements guarantees Parker's quality of filtration. Using after market filters with unknown media quality may save initial cost, but can increase overall costs by requiring more element change outs and potentially causing system downtime. Protect your Salutions nt by always buying genuine Parker replacement elements.

Where the Buttor mation or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files	+
Related Documents	+



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

_	Company	Information	
+	Company	miomiation	

- + Global Operations
- + Help & Support
- + Follow Us:

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS





<u>Home</u>

Products

<u>Support</u>

Industries

<u>Services</u>

Solutions

Where to Buy