







Home

Products

Support

Industries oducts / Filters, Collecto... / Replacement Engin... / Hydraulic Filter ... / Replacement Eleme... / 938801Q

SREPlacement Elements - High Pressure In-Line Filter 70/70 Eco Series

Solutions

Part #: 938801Q Where to Buy







High pressure inline hydraulic oil filter series is a proven filter concept, up to 500l/min and pressures up to 420 bar.

View Series Page **Ξ**

View Catalog(s)

Share / Email 🗪

Print 🖶

Technical Specifications

For Use With: 70 Series length 4

Division: Hydraulic and Industrial Process Filtration EMEA

Filter Element Type: 100E Ecoglass Brand: Parker Micron Rating: 10 µm Technology: Filtration

Hydraulic Oil Filter Replacement Elements **Product Type:**

Seal Material: Nitrile Length: 419 mm 70/70 Eco Series **Product Series:** End Cap Material: Plastic

> Mining Material handling

Construction Industry: Marine

Power Generation Industrial Machinery Injection Moulding

For Fluid Type:

Operating Temperature:

Options:

Application:

Drilling machines Dumpers Hydraulic power units Mobile cranes Reach stackers

Container handling equipment Cranes Excavators

Crushing machines Propulsion systems Deck machinery Wind turbines Hydropower Servo controls

Suitable for use with mineral and vegetable oils, and

some synthetic oils.

-40°C to +100°C.

Operating Pressure: 420 bar (350 bar Length 4) Maximum.

▲ Safety Warning

Item Information

The 70/70 Eco Series of high pressure filters are designed to satisfy demanding applications in the mobile and industrial markets. With multiple mounting options, this high pressure filter series is right filter for many applications. The 70/70 Eco Series filter series has a wide range of high capacity and low initial differential pressure elements, including a no metal content Eco element, offering excellent protection to system components.

The 70/70 Eco Serie offers several bowl lengths to secure the lowest possible pressure drop for each application. For critical applications such as servo or proportional controls, a no bypass high strength element combination ensures maximum protection.

The low hystereis differential pressure indicator fitted to this series is unrivalled in its performance.





 \bigcirc

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor. Industries

SCAD Drawings + Files



Solutions

Related Documents Where to Buy





Parker Sales Company UK

$\frac{psc.uk.webform@support.parker.com}{+44~(0)1926~317878}$

+	Company	Information
---	---------	-------------

- + Global Operations
- + Help & Support
- + Follow Us:

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



 \mathbb{H} \mathbb{O}

<u>Home</u>

Products

<u>Support</u>

Industries

<u>Services</u>

Solutions

Where to Buy