

**Home** 

**Products** 

Support

Industries oducts / Filters, Collecto... / Replacement Engin... / Hydraulic Filter ... / Replacement Eleme... / 938832Q

### Replacement Elements - High Pressure In-Line Filter 70/70 Eco Series

Solutions
Part #: 938832Q
Where to Buy







High pressure inline hydraulic oil filter series is a proven filter concept, up to 500l/min and pressures up to 420 bar.

View Series Page **□** View Catalog(s) **□** 

Share / Email → Print →

#### **Technical Specifications**

Division: Hydraulic and Industrial Process Filtration EMEA

For Use With: 70 series length 3

Brand: Parker

Filter Element Type: 10Q Microglass Micron Rating: 10 µm

Technology: Filtration

Seal Material: EPDM

Product Type: Hydraulic Oil Filter Replacement Elements

Product Series: 70/70 Eco Series

Length: 328 mm

End Cap Material: Tin plated steel Mining

Material handling

Construction

Marine Power Generation

Industrial Machinery

Injection Moulding

Container handling equipment

Reach stackers Container hand

Mobile cranes

Drilling machines Dumpers

Hydraulic power units

Application: Cranes

Excavators Crushing machines Propulsion systems Deck machinery

Wind turbines Hydropower Servo controls

Options: Epoxy glued end caps

For Fluid Type: Suitable for use with mineral and vegetable oils, and

some synthetic oils.

Operating Pressure:
Operating
Temperature:

420 bar (350 bar Length 4) Maximum.

⚠ Safety Warning

Industry:

#### **Item Information**

The 70/70 Eco Series of high pressure filters are designed to satisfy demanding applications in the mobile and industrial markets. With multiple mounting options, this high pressure filter series is right filter for many applications. The 70/70 Eco Series filter series has a wide range of high capacity and low initial differential pressure elements, including a no metal content Eco element, offering excellent protection to system components.

The 70/70 Eco Serie offers several bowl lengths to secure the lowest possible pressure drop for each application. For critical applications such as servo or proportional controls, a no bypass high strength element combination ensures maximum protection.

The low hystereis differential pressure indicator fitted to this series is unrivalled in its performance.



• Die casting **Products** tools

• Industrial power units Support

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor. <a href="Industries">Industries</a>

## CAD Drawings + Files



<u>Solutions</u> **Related Documents** Where to Buy





**Parker Sales Company UK** 

# $\frac{psc.uk.webform@support.parker.com}{+44~(0)1926~317878}$

+ 0	company	Information
-----	---------	-------------

+ Global Operations

+ Help & Support

+ Follow Us:

© PARKER HANNIFIN CORP 2023

**ENGINEERING YOUR SUCCESS.** 

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



<u>Home</u>

**Products** 

<u>Support</u>

<u>Industries</u>

<u>Services</u>

**Solutions** 

Where to Buy