

**Home** 

**Products** 

Support

**Industries** 

**Services** 

**Solutions** 

Where to Buy

Home / Products / Filters, Collecto... / Filter Parts and ... / Hydraulic Filter ... / Replacement Eleme... / 938968Q

## **Replacement Elements - 45M Series**

Part #: 938968Q







The 45M-Series elements are available as Ecoglass version without inner core and as conventional Microglass version. These elements have a Multi-layered design with the latest in filter media technology for high capacity and efficiency.

View Series Page 

Share / Email 

Print 

Pr

## **Technical Specifications**

Filter Element: 02Q Microglass
Brand: Parker
Vessel Size: Length 3

Division: Hydraulic & Industrial Process Filtration

VISION: Division EMEA

Micron Rating:  $2 \, \mu m$ 

Industry: Industrial Manufacturing Equipment

Off-Road Machinery

Length: 329 mm

Application: Hydraulic Filtration

Diameter: 80 mr

Technology: Filtration, Hydraulics

Product Type: Filter Element
Seal Material: Nitrile
Options: Standard
Product Series: 45M
Filter Material: Microglass III

For Fluid Type: Mineral and vegetable oils and some synthetic

Ecoglass III

Operating Pressure: Up to 40 bar
Operating Temperature: -40 to +100 °C
Maximum Pressure
Differential: 20 bar (ISO 2941)

Maximum Flow Rate: 260 L/min

**⚠** Safety Warning

## **Item Information**

Items marked with an asterisk \* in the drop-down menus are standard choices.

The 45M Series utilises a cast iron head and steel bowl design and can be specified with Microglass or Ecoglass filter media. Filter bowl is designed for rapid element replacement.

45M series filters can are offered with two types of element:

- The conventional element, making use of the Microglass media and in some sizes also available with ParGel Water Removal media.
- The Ecoglass element, an environmentally friendly design without metal content. This Eco element is fitted on a re-usable metal inner core. Having no metal content in the element reduces the overall weight with 50% and makes it possible to dispose of the used element in a environmentally friendly way by incineration, also lowering disposal costs.

Using genuine Parker replacement elements guarantees Parker's quality of filtration. Using after market filters with unknown media quality may save initial cost, but can increase overall costs by requiring more element change outs and potentially causing system downtime. Protect your investment by always buying genuine Parker replacement elements.

CAD Drawings + Files	+
Related Documents	+



**Parker Sales Company UK** 

psc.uk.webform@support.parker.com +44 (0)1926 317878

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS