| = Parker | |
|-----------------|--|
| <u>Home</u> | |
| Products | |
| <u>Support</u> | |
| Industries | |
| <u>Services</u> | |
| Solutions | |
| Where to Buy | |

Home / Products / Filters, Collecto... / Filter Parts and ... / Hydraulic Filter ... / Replacement Eleme... / 938982Q

Replacement Elements - 45M Series

Part #: 938982Q

0



The 45M-Series elements are available as Ecoglass version without inner core and as conventional Microglass version. These elements have a Multi-layered design with the latest in filter media technology for high capacity and efficiency.

View Series Page 😑 Share / Email 📌 Print 🖶

Technical Specifications

Vessel Size: Filter Element: Brand: Division: Micron Rating: Industry: Application: Length: Diameter: Technology: Length 2 10QE Ecoglass * Parker Hydraulic & Industrial Process Filtration Division EMEA 10 µm Industrial Manufacturing Equipment Off-Road Machinery Hydraulic Filtration 200 mm 78 mm Filtration, Hydraulics Seal Material: Product Type: Product Series: Options: Filter Material:

For Fluid Type:

Operating Pressure: Operating Temperature: Maximum Pressure Differential: Maximum Flow Rate: Nitrile Filter Element 45M Standard Microglass III Ecoglass III Mineral and vegetable oils and some synthetic oils Up to 40 bar -40 to +100 °C 10 bar when mounted on the ECO-core (ISO 2941) 260 L/min

▲ Safety Warning

Item Information

Items marked with an asterisk * in the drop-down menus are standard choices.

The 45M Series utilises a cast iron head and steel bowl design and can be specified with Microglass or Ecoglass filter media. Filter bowl is designed for rapid element replacement.

45M series filters can are offered with two types of element:

The conventional element, making use of the Microglass media and in some sizes also available with ParGel Water Removal media.
The Ecoglass element, an environmentally friendly design without metal content. This Eco element is fitted on a re-usable metal inner core. Having no metal content in the element reduces the overall weight with 50% and makes it possible to dispose of the used element in a environmentally friendly way by incineration, also lowering disposal costs.

Using genuine Parker replacement elements guarantees Parker's quality of filtration. Using after market filters with unknown media quality may save initial cost, but can increase overall costs by requiring more element change outs and potentially causing system downtime. Protect your investment by always buying genuine Parker replacement elements.

CAD Drawings + Files

Related Documents



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2023

┿

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS