

Replacement Elements - DF2035 Series

Part #: 939406



The replacement elements of the Parker DF2035 low pressure - high flow filter series make use of high quality filter materials.

[View Series Page](#) [Share / Email](#) [Print](#)

Technical Specifications

Product Series:	DF2035	Filter Element Type:	Cleanable metal mesh primary element
Seal Material:	Fluoroelastomer	Filter Element:	060W Wiremesh
Maximum Pressure Differential:	5 bar (ISO 2941)		

[Safety Warning](#)

Item Information

Items marked with an asterisk * in the drop-down menus are standard choices.

The high quality replacement elements of the DF2035 filter series are available with several filter materials and micron ratings. These replacement elements ensure the quality of filtration Parker is known for.

As option the DF2035 filters are available with a secondary safety filter elements inside the primary filter elements, to secure a certain degree of filtration even in a by-pass situations.

Note:

The DF2035 Length 2 filter uses 2 primary elements and 1 secondary element (optionally) per side.

The DF2035 Length 3 filter uses 3 primary elements per side and uses a secondary element extension (optionally) on top of the Length 2 secondary element; So to get the full length 3 secondary element, both the Length 2 secondary element plus the Length 3 secondary extension is needed.

Using genuine Parker replacement elements guarantees Parker's quality of filtration. Using after market filters with unknown media quality may save initial cost, but can increase overall costs by requiring more element change outs and potentially causing system downtime. Protect your investment by always buying genuine Parker replacement elements.

CAD Drawings + Files



Related Documents



Parker Sales Company UK

psc.uk.webform@support.parker.com
[+44 \(0\)1926 317878](tel:+441926317878)

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

