

## Universal Bottle Sampler - UBS

Part #: ACC6NK003



Simple and efficient offline oil sampling, ideal for batch oil sampling.

[View Series Page](#) [Share / Email](#) [Print](#)

### Technical Specifications

For Fluid Type: Mineral Oil / Aggressive Fluid      Product Type: UBS degassing chamber and pump  
 [Safety Warning](#)

### Item Information

The UBS provides the dynamic link to portable particle counters. The UBS off-line sampler has microprocessor technology to recognize and adjust to the connecting monitor including the icountLCM20.

#### Product Features

- Viscosity range 2 to 250 cSt
- Simple operation
- Efficient testing procedure - Test time 2m 15s / 4m 15s (Flush 2m)
- Clean and contamination free sampling
- Available for both mineral based and aggressive fluids
- Further advances the LCM20's flexibility into laboratory bottle sampling environments
- Can accept various different sized bottles
- Minimal working parts
- Internal auto setting fuse for overload protection
- Simple maintenance procedures

#### Typical Applications

- Batch sampling
- Aircraft rig certification
- Oil research

- Laboratory testing
- Transfer line monitoring

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

---

## CAD Drawings + Files



---

## Related Documents



**Parker Sales Company UK**

[psc.uk.webform@support.parker.com](mailto:psc.uk.webform@support.parker.com)  
[+44 \(0\)1926 317878](tel:+44(0)1926317878)

---

+ Company Information

---

+ Global Operations

---

+ Help & Support

---

+ Follow Us :

---

© PARKER HANNIFIN CORP 2023

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

