

Tanktop Mounted Return Line Filter - BGT Series

Part # BGT1410QBPER488



The BGT Series features pre-filtration by means of a magnet column and a full flow bypass with low hysteresis. Providing maximum flow rates of 2400 l/min at maximum pressure 10 bar.

[View Series Page](#) [Share / Email](#) [Print](#)

Technical Specifications

Port Connection Type:	3"SAE *	Filter Type:	Tanktop Mounted Return Line Filter
Filter Element:	10Q Microglass *	Product Series:	BGT Series
Flow Capacity (l/min):	800	Indicator Type:	No indicator, Port plugged R
Bypass Valve (bar):	1,5 *		<ul style="list-style-type: none">• Mobile cranes• Excavators• Deck cranes• Fire fighting equipment• Hydraulic presses• Waste balers• Industrial power units• Fork lift trucks
Division:	Hydraulic and Industrial Process Filtration EMEA	Application:	
Flow Rate:	0 to 950 l/min	Options:	No Diffuser, Filling port
Brand:	Parker	Mounting Type:	Tank Mounted
Bypass Valve Pressure Rating:	1.5 bar	Seal Material:	Nitrile
Technology:	Filtration	Pressure Rating:	0-34 bar (0-500 psi)
Connection Type:	3"SAE	Housing Material:	Aluminium
Filter Element Type:	10Q Microglass		
Product Type:	Hydraulic Filter		
Micron Rating:	10 µm		

[Safety Warning](#)

Item Information

BGT tanktop mounted return line filters feature pre-filtration by means of a magnet column and a quick response bypass with low hysteresis. Thanks to the 'In-to-Out' filter principle, contaminated oil cannot leak back into the system. BGT Filters are available in versions capable of handling flow rates up to 2400 l/min. They can operate with a maximum working pressure of 10 bar.

LEIF® elements are available for environment-friendly filtration for versions up to 1500 l/min.

Product Features:

- BGT features pre-filtration by means of a magnet column.
- Filter heads with multiple ports available.
- Flow from inside to out.
- Full flow bypass with low hysteresis.

- Maximum pressure 10 bar. Maximum flow 2400 l/min.
- Elements safeguard filtration quality.



For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

[Home](#)

[CAD Drawings + Files](#)

[Products](#)



[Support](#)

[Related Documents](#)

[Industries](#)



[Services](#)

[Solutions](#)

[Where to Buy](#)



Parker Sales Company UK

psc.uk.webform@support.parker.com
[+44 \(0\)1926 317878](tel:+44201926317878)

[+ Company Information](#)

[+ Global Operations](#)

[+ Help & Support](#)

[+ Follow Us :](#)

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)



[Home](#)

[Products](#)

[Support](#)

[Industries](#)

[Services](#)

[Solutions](#)

[Where to Buy](#)
