# **Tanktop Mounted Return Line Filter - BGT Series**

#### Part #: BGT17040WBPER483







The BGT Series features pre-filtration by means of a magnet column and a full flow bypass with low hysteresis. Providing maximum flow rates of 2400 l/min at maximum pressure 10 bar.

View Series Page 

Share / Email 

Print 

Pr

# **Technical Specifications**

Flow Rate: 0 to 2100 l/min

Division: Hydraulic and Industrial Process Filtration

Brand: EMEA Parker

Bypass Valve Pressure Rating:

Technology: Filtration
Connection Type: 3"SAE
Product Type: Hydraulic Filter
Filter Element Type: 040W Wiremesh

Micron Rating: 40 µm
Filter Type: Tanktop Mounted Return Line Fi

Filter Type: Tanktop Mounted Return Line Filter Indicator Type: No indicator, Port plugged R

Product Series:

Options: Diffuser type T

• Mobile cranes

Mobile cranesExcavatorsDeck cranesFire fighting equipment

**BGT Series** 

Application:

- Fire Tighting equipmer
- Hydraulic presses
- Waste balers
- Industrial power units
- Fork lift trucks

Mounting Type: Tank Mounted Seal Material: Nitrile

Pressure Rating: 0-34 bar (0-500 psi)
Housing Material: Aluminium

⚠ Safety Warning

#### Item Information

BGT tanktop mounted return line filters feature pre-filtration by means of a magnet column and a quick response bypass with low hysteresis. Thanks to the 'In-to-Out' filter principle, contaminated oil cannot leak back into the system. BGT Filters are available in versions capable of handling flow rates up to 2400 l/min. They can operate with a maximum working pressure of 10 bar.

LEIF® elements are available for environment-friendly filtration for versions up to 1500 I/min.

#### Product Features:

- BGT features pre-filtration by means of a magnet column.
- Filter heads with multiple ports available.
- Flow from inside to out.
- Full flow bypass with low hysteresis.
- · Maximum pressure 10 bar. Maximum flow 2400 l/min.
- · Patented LEIF® elements safeguard filtration quality.

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

## CAD Drawings + Files





Related Documents +



## **Parker Sales Company UK**

## <u>psc.uk.webform@support.parker.com</u> +44 (0)1926 317878

+ Company Information
+ Global Operations
+ Help & Support
+ Follow Us:

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS

