

Low Pressure In-Line Duplex Fuel Filter - DFBO Series

Part #: DFBO1410FSVAFGD16WPMA



The DFBO is a series of low pressure duplex Fuel Filters for diesel filtration in Marine applications. Suitable for flows up to 90 l/min and pressures up to 10 bar.

[View Series Page](#) [Share / Email](#) [Print](#)

Technical Specifications

Flow Rate:	90 l/min	Indicator Type:	Vacuum Gauge on Outlet Side
Connection Type:	G1"	Options:	Marine Assembly (max. 7 bar), incl. Sight Glass
Filter Element Type:	10 µm Coalescer Separator	Length:	14"

 [Safety Warning](#)

Item Information

The DFBO filter brings a duplex version of the Racor® FBO filters to an engine room environment for continuous diesel filtration. The new duplex design ensures that fuel is efficiently filtered at all times. The cast iron head and steel bowls mean that it is perfect for use in marine applications.

The DFBO comes in two bowl lengths, allowing diesel flows up to 90 l/min. Depending on the elements inside, the unit can be used as prefilter, water separator/particle filter or as water absorption filter. The DFDBO filter is easy to service: no special tools are required.

Applications

- Fuel systems on diesel engines
- Marine fuel docks
- Diesel fuel dispensing system

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.





Parker Sales Company UK

psc.uk.webform@support.parker.com

[+44 \(0\)1926 317878](tel:+44(0)1926317878)

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2023

ENGINEERING **YOUR** SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)



