

Products

Support

Industries oducts / Filters, Collecto... / Filter Assemblies... / Lubrication Oil F... / Low Pressure In-L... / DFB01425FSVAFMD30MA

Low Pressure In-Line Duplex Fuel Filter - DFBO Series

Whard t#BD/FB01425FSVAFMD30MA



The DFBO is a series of low pressure duplex Fuel Filters for diesel filtration in Marine applications. Suitable for flows up to 90 l/min and pressures up to 10 bar.

 \oplus

View Series Page 😑 Share / Email 📌 Print 🖨

Technical Specifications

Fluorelastomer 90 I/min 30 InHg (-100 Pa) * bar M30x1.5 25 µm Coalescer Separator Inline 7 bar Indicator Type: Options: Flow Rate: Housing Material: Length: Operating Temperature: Vacuum Gauge on Outlet Side Marine Assembly (max. 7 bar) 90 L/min Cast iron/Steel 14" 0 / +60 °C

Item Information

The DFBO filter brings a duplex version of the Racor® FBO filters to an engine room environment for continuous diesel filtration. The new duplex design ensures that fuel is efficiently filtered at all times. The cast iron head and steel bowls mean that it is perfect for use in marine applications.

The DFBO comes in two bowl lengths, allowing diesel flows up to 90 l/min. Depending on the elements inside, the unit can be used as prefilter, water separator/particle filter or as water absorption filter. The DFDBO filter is easy to service: no special tools are required.

Applications

- Fuel systems on diesel engines
- Marine fuel docks

Diesel fuel dispensing system

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files

Related Documents



<u>Spsc.uktwebform@support.parker.com</u> +44 (0)1926 317878

Industries

structors any Information

Solutions Operations

Where to But port

+ Follow Us :

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.



<u>Home</u>

Products

Support

Industries

Services

Solutions

Where to Buy