







Home

Products

Support

Industries oducts / Filters, Collecto... / Filter Assemblies... / Hydraulic Filters / Tank Top Mounted ... / ETF210QBG2FG164

Services

Tank Top Mounted Return Line Filter - ETF Series

Whart t#BEyTF210QBG2FG164







The ETF series is a light weight and economic tank top mounted return line filter. Providing maximum flow rate of 175 l/min and maximum pressure 6 bar.

View Series Page

Share / Email

Print

Pr

Technical Specifications

Flow Rate: 0 to 80 l/min
Filter Element Type: 10Q Microglass

Division: Hydraulic and Industrial Process Filtration EMEA

Brand: Parke

Bypass Valve Pressure 1,6 bar, 1.6 bar (23 psi)

Airra Datina

Micron Rating: 10 µm
Technology: Filtration
Indicator Type: Visual

Product Type: Hydraulic Filter
Options: Diffuser

⚠ Safety Warning

Filter Type: Tanktop Mounted Return Line Filter
Pressure Rating: 6 bar, Maximum: 1.6 bar (23 psi)

Product Series: ETF series

Dorry Mounted Cranes
 Application:
 Agricultural Equipment

Container Hhook Loaders
Glass reinforced co-polymer, Glass Reinforced
Co-polymer, Glass Reinforced
Co-polymer, Glass Reinforced
Co-polymer, Glass Reinforced
Co-polymer, Glass Reinforced
Co-polymer, Glass Reinforced

Mounting Type: Co-polymer

Tank Mounte

Operating Temperature: -20 / +80 °C, -20 / +80 °C (-4 / +176°F)

Connection Size: G1
Seal Material: Nitrile

Item Information

The Parker Filtration ETF Series is an economic tank top mounted return line filter that has been used and proven in many hydraulic filtration applications.

It utilizes a re-inforced co-polymer head equipped with 2 return ports and quick-release cover.

For use in hydraulic systems with nominal flows up to 175 l/min and a maximum pressure of 6 bar.

Product Features:

- A re-inforced co-polymer head equipped with 2 return ports.
- Quick-release cover design.
- Flow from inside to out.
- Maximum pressure 6 bar. Maximum flow 175 l/min.
- An economic return line filter for hydraulic systems.

Typical Applications:

· Lorry mounted cranes



Ħ

 \bigcirc

<u>Home</u> ore information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

PCADtDrawings + Files

+

<u>Support</u>

Related Documents



Services



Parker Sales Company UK

<u>psc.uk.webform@support.parker.com</u> +44 (0)1926 317878

- + Company Information
- + Global Operations
- + Help & Support
- + Follow Us:

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS





<u>Home</u>

Products

<u>Support</u>

Industries

<u>Services</u>

Solutions

Where to Buy