



The ETF series is a light weight and economic tank top mounted return line filter. Providing maximum flow rate of 175 l/min and maximum pressure 6 bar.

[View Series Page](#) [Share / Email](#) [Print](#)

## Technical Specifications

Filter Element Type:	20Q Microglass	Filter Type:	Tanktop Mounted Return Line Filter
Flow Rate:	0 to 350 l/min	Pressure Rating:	6 bar, Maximum: 1.6 bar (23 psi)
Division:	Hydraulic and Industrial Process Filtration EMEA	Product Series:	ETF series
Brand:	Parker	Application:	<ul style="list-style-type: none"><li>• Lorry Mounted Cranes</li><li>• Agricultural Equipment</li><li>• Container Hhook Loaders</li></ul>
Bypass Valve Pressure Rating:	1,6 bar, 1.6 bar (23 psi)	Housing Material:	Glass reinforced co-polymer, Glass Reinforced Co-polymer
Technology:	Filtration	Mounting Type:	Tank Mounted
Micron Rating:	20 µm	Operating Temperature:	-20 / +80 °C, -20 / +80°C (-4 / +176°F)
Indicator Type:	Visual	Connection Size:	G1
Product Type:	Hydraulic Filter	Seal Material:	Nitrile
Options:	Diffuser		

[Safety Warning](#)

## Item Information

The Parker Filtration ETF Series is an economic tank top mounted return line filter that has been used and proven in many hydraulic filtration applications.

It utilizes a re-inforced co-polymer head equipped with 2 return ports and quick-release cover.

For use in hydraulic systems with nominal flows up to 175 l/min and a maximum pressure of 6 bar.

Product Features:

- A re-inforced co-polymer head equipped with 2 return ports.
- Quick-release cover design.
- Flow from inside to out.
- Maximum pressure 6 bar. Maximum flow 175 l/min.
- An economic return line filter for hydraulic systems.

Typical Applications:

- Lorry mounted cranes



For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

[Home](#)

[Products](#) **CAD Drawings + Files**



[Support](#)

**Related Documents**

[Industries](#)



[Services](#)

[Solutions](#)

[Where to Buy](#)

**Parker Sales Company UK**

[psc.uk.webform@support.parker.com](mailto:psc.uk.webform@support.parker.com)  
[+44 \(0\)1926 317878](tel:+44(0)1926317878)

+ [Company Information](#)

+ [Global Operations](#)

+ [Help & Support](#)

+ [Follow Us :](#)

© PARKER HANNIFIN CORP 2023

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)





[Home](#)

[Products](#)

[Support](#)

[Industries](#)

[Services](#)

[Solutions](#)

[Where to Buy](#)

---

