

Home

Products

Support

Industries oducts / Regulators, Monit... / Monitoring / Fuel Drip Bunker ... / FG-K1-128-KW

Fuel Drip Bunker Samplers

wRart #вБG-K1-128-KW





Parker bunker samplers are designed to provide a representative sample of the entire fuel delivery. Manufactured from stainless steel.

View Series Page

Share / Email

Print

Pr

Technical Specifications

Brand: Kittiwake

Division: Hydraulic & Industrial Process Filtration Division EMEA

Industry: Marine

Technology: Filtration, Hydraulics Product Type: Sampling System

Pipe Outside Diameter:

Product Style: Sample Capture Device For Fluid Type: Lube Oil Fuel **Operating Pressure:** 40 bar, 580 psi

Operating -50 to 75 °C, -58 to 167 °F Temperature:

Minimum Fluid

-50 °C, -58 °F Temperature:

Maximum Fluid Temperature:

75 °C. 167 °F

Flow Rate: n/a Sensing Method: n/a Height: 681 mm Width: 31.5 mm Outside Diameter: 266 mm Port Size: 8 inch Port Type: Pipe bore Materials of Stainless Steel

Construction: Body Material: Stainless Steel Seal Material:

MARPOL regulations, IMO, ISO TR 13729 and Singapore Specifications Met: Bunkering Procedure, ASTM D 4057, BS 3195, ISO 3170

▲ Safety Warning

Item Information


May 19th 2005 was the implementation date for IMO MARPOL Annex VI legislation, and ships the world over are using Parker Kittiwake's sampling equipment to adhere to these regulations. Parker Kittiwake supplies a full range of in-line bunker samplers and bunker sampling accessories, a complete range of sample bottles and consumables, plus a Germanischer LLoyd certified Bunker Sample Storage System.

Parker Kittiwake has a wide selection of bunker samplers and equipment ex-stock, ready for immediate delivery. There could not be a better time to ensure that you are IMO MARPOL compliant. Contact your local Parker representative for further details and to place your order.

Bunker samplers are designed to provide a representative sample of the entire fuel delivery. Manufactured from stainless steel, all products comply with ISO 3170, BS 3195, ASTM D 4057 and ISO TR 13729 standards, as well as the Singapore Bunkering Procedure.

Features and Benefits

· Lightweight and very easy to install



© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



<u>Home</u>

Products

<u>Support</u>

<u>Industries</u>

<u>Services</u>

Solutions

Where to Buy