

Home

Products

Support

Industries

Services

Solutions

Where to Buy

Home / Products / Filters, Collecto... / Replacement Filte... / Liquid Filter Ele... / Flo-Pac Pleated P... / FP310-20

Flo-Pac Pleated Phenolic Impregnated Cellulosic Filter Cartridges

Part #: FP310-20







Parker Fulflo® Flo-Pac® Pleated Filter Cartridges are the perfect choice for industrial filtration requirements. Flo-Pac pleated filter cartridges contain premium phenolic impregnated cellulosic filter media designed for critical filtration application

View Series Page **□** View Catalog(s) **□**

Share / Email ₱ Print ♣

Technical Specifications

 $\begin{array}{cccc} \mbox{Industry:} & \mbox{Oil and Gas} & \mbox{Core Type:} & \mbox{ETP Steel} \\ \mbox{Brand:} & \mbox{domnick hunter} & \mbox{Micron Rating (μm):} & 20 \end{array}$

Function: Clarification/Prefiltration/Polishing Body Material: Polypropylene net
Media: Phenolic Impregnated Cellulose Seal Material: Buna-N Gaskets

Filter Construction: Pleated Inside Diameter (inch):
Flow Rate: 7GPM max per 10 inch cartridge equivalent Length (inch):

Flow Rate: 7GPM max per 10 inch cartridge equivalent Length (inch): 9-5/8
End Cap Configuration: DOE Outside Diameter (inch): 2-1/2
End Cap Material: ETP Steel

⚠ Safety Warning

Item Information

Parker Fulflo® Flo-Pac® Filter Cartridges are the perfect choice for many industrial filtration requirements. Flo-Pac® pleated filter cartridges contain premium grade, phenolic impregnated cellulosic filter media.

Parker's line of pleated filter cartridges are designed for critical filtration applications, providing long service life, high flow rate and low pressure

Features/Benefits

- · Pleated cellulosic media allow high flow capacity at low pressure drop
- · Available in a variety of sizes and configurations to fit most industrial vessels
- · Phenolic resin impregnated to provide strength, integrity and high contaminant capacity
- High strength spiral core withstands pressure surges to 100psid
- Suitable for operating temperatures to 250°F (121°C)
- · Outer sleeve protects the media from damage
- ETP (Electro-tin-plated) steel metal components for both aqueous and oil-based applications
- Buna-N gaskets are standard, other materials are available

Applications

- Water Soluble Filtration
- Coolant Filtration
- Quench Oil Filtration
- Fuel Filtration
- Lubricating Oil Filtration
- Hydraulic Oil Filtration
- EDM Dielectric Filtration
- Rolling Mill Oil Filtration
- Processing Liquid Filtration
- Gasoline Filtration

CAD Drawings + Files Related Documents +



Parker Sales Company UK

psc.uk.webform@support.parker.com
+44 (0)1926 317878

+ Company	Information
-----------	-------------

- + Global Operations
- + Help & Support
- + Follow Us:

© PARKER HANNIFIN CORP 2023

 ${\bf ENGINEERING\ YOUR\ SUCCESS}.$

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS