

[Home](#)

[Products](#)

[Support](#)

[Industries](#) / [Products](#) / [Filters, Collecto...](#) / [Replacement Filte...](#) / [Liquid Filter Ele...](#) / [Flo-Pac Pleated P...](#) / [FP320-1VN](#)

[Services](#)

Flo-Pac Pleated Phenolic Impregnated Cellulosic Filter Cartridges

[Solutions](#)

[Part #](#) **FP320-1VN**



Parker Fulflo® Flo-Pac® Pleated Filter Cartridges are the perfect choice for industrial filtration requirements. Flo-Pac pleated filter cartridges contain premium phenolic impregnated cellulosic filter media designed for critical filtration application

[View Series Page](#)

[View Catalog\(s\)](#)

[Share / Email](#)

[Print](#)

Technical Specifications

Micron Rating (µm):	1	End Cap Material:	ETP Steel
Industry:	Oil and Gas	Core Type:	ETP Steel
Brand:	domnick hunter	Body Material:	None
Function:	Clarification/Prefiltration/Polishing	Inside Diameter (inch):	1
Media:	Phenolic Impregnated Cellulose	Seal Material:	Viton Gaskets
Filter Construction:	Pleated	Length (inch):	19-3/4
Flow Rate:	7GPM max per 10 inch cartridge equivalent	Outside Diameter (inch):	2-1/2
End Cap Configuration:	DOE		

[Safety Warning](#)

Item Information

Parker Fulflo® Flo-Pac® Filter Cartridges are the perfect choice for many industrial filtration requirements. Flo-Pac® pleated filter cartridges contain premium grade, phenolic impregnated cellulosic filter media. Parker's line of pleated filter cartridges are designed for critical filtration applications, providing long service life, high flow rate and low pressure drop.


Features/Benefits

- Pleated cellulosic media allow high flow capacity at low pressure drop
- Available in a variety of sizes and configurations to fit most industrial vessels
- Phenolic resin impregnated to provide strength, integrity and high contaminant capacity
- High strength spiral core withstands pressure surges to 100psid
- Suitable for operating temperatures to 250°F (121°C)
- Outer sleeve protects the media from damage
- ETP (Electro-tin-plated) steel metal components for both aqueous and oil-based applications
- Buna-N gaskets are standard, other materials are available

Applications

- Water Soluble Filtration

- [Product Filtration](#)
- [Parker Filtration](#)
- [Fuel Filtration](#)
- [Lubricating Oil Filtration](#)
- [Hydraulic Oil Filtration](#)
- [EDM Dielectric Filtration](#)
- [Rolling Mill Oil Filtration](#)
- [Processing Liquid Filtration](#)
- [Gasoline Filtration](#)



[Home](#)

[Products](#)

[Support](#)

[Industries](#)

[CAD Drawings + Files](#)



[Services](#)

[Solutions](#)

[Related Documents](#)



[Where to Buy](#)



Parker Sales Company UK

psc.uk.webform@support.parker.com

[+44 \(0\)1926 317878](tel:+44201926317878)

[+ Company Information](#)

[+ Global Operations](#)

[+ Help & Support](#)

[+ Follow Us :](#)

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)



[Home](#)

[Products](#)

[Support](#)

[Industries](#)

[Services](#)

[Solutions](#)

[Where to Buy](#)
