

Home

Products

Support

Industries

Services

Solutions

Where to Buy

Home / Products / Filters, Collecto... / Replacement Filte... / Liquid Filter Ele... / Flo-Pac Pleated P... / FP614-20-1GN

Flo-Pac Pleated Phenolic Impregnated Cellulosic Filter Cartridges

Part #: FP614-20-1GN







Parker Fulflo® Flo-Pac® Pleated Filter Cartridges are the perfect choice for industrial filtration requirements. Flo-Pac pleated filter cartridges contain premium phenolic impregnated cellulosic filter media designed for critical filtration application

View Series Page

View Catalog(s)

✓

Share / Email Print Print ■

Technical Specifications

Industry: Oil and Gas
Brand: domnick hunter
Function: Clarification/Prefiltration/Polishing

Media: Phenolic Impregnated Cellulose

Filter Construction: Pleated

Flow Rate: 35GPM max per 14 inch cartridge equivalent End Cap Configuration: DOE

End Cap Material: ETP Steel

⚠ Safety Warning

Core Type: ETP Steel
Micron Rating (µm): 20
Body Material: None

Seal Material: Buna-N Grommets

Length (inch): 14-1/2
Outside Diameter (inch): 6-1/4
Inside Diameter (inch): 1-1/4

Item Information

Parker Fulflo® Flo-Pac® Filter Cartridges are the perfect choice for many industrial filtration requirements. Flo-Pac® pleated filter cartridges contain premium grade, phenolic impregnated cellulosic filter media.

Parker's line of pleated filter cartridges are designed for critical filtration applications, providing long service life, high flow rate and low pressure drop.

. Features/Benefits

- · Pleated cellulosic media allow high flow capacity at low pressure drop
- · Available in a variety of sizes and configurations to fit most industrial vessels
- · Phenolic resin impregnated to provide strength, integrity and high contaminant capacity
- High strength spiral core withstands pressure surges to 100psid
- Suitable for operating temperatures to 250°F (121°C)
- · Outer sleeve protects the media from damage
- ETP (Electro-tin-plated) steel metal components for both aqueous and oil-based applications
- Buna-N gaskets are standard, other materials are available

Applications

- Water Soluble Filtration
- Coolant Filtration
- Quench Oil Filtration
- Fuel Filtration
- Lubricating Oil Filtration
- Hydraulic Oil Filtration
- EDM Dielectric Filtration
- Rolling Mill Oil Filtration
- Processing Liquid Filtration
- Gasoline Filtration

CAD Drawings + Files Related Documents +



Parker Sales Company UK

psc.uk.webform@support.parker.com
+44 (0)1926 317878

+ Company	Information
-----------	-------------

- + Global Operations
- + Help & Support
- + Follow Us:

© PARKER HANNIFIN CORP 2023

 ${\bf ENGINEERING\ YOUR\ SUCCESS}.$

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS