

<u>Home</u>

Products

Support

Industries oducts / Filters, Collecto... / Filter Parts and ... / Hydraulic Filter ... / Replacement Eleme... / G04167Q

Services Replacement Elements - CN Series

WPharett#B0004167Q



High efficiency genuine replacement elements for Parker 15/40/80CN Series medium pressure hydraulic filters.

Ð

View Series Page 😑 Share / Email 📌 Print 🖶

Technical Specifications

Division: Hydraulic and Industrial Process Filtration EMEA Compressor Lube Oil Off-line Filter Loops For Use With: 40CN · Machine Tools (Automotive Standard) Brand: Parker Hydrostatic Drive Charge Pumps Application: Length: Length 2 Mobile Equipment Pilot Lines for Servo Controls Filtration Technology: Oil Patch Drilling Equipment Filter Element Type: 05Q Microglass Injection Molding Product Type: Hydraulic Oil Filter Suitable for use with mineral and vegetable oils, and For Fluid Type: Seal Material: Nitrile some synthetic oils. Flow Rate: 0 to 600 L/min Filter Type: Medium Pressure Inline Filter Maximum: Micron Rating: **Operating Pressure:** 5 um 70 bar (1015 psi) Product Series: Replacement Elements - CN Series Seal material Nitrile: Industrial Manufacturing Equipment -40°C to +100°C - Automotive (-40°F to +212°F) Operating - Food & Beverage Temperature: - Rubber & Plastics Seal material Fluoroelastomer: - Metals -20°C to +120°C (-4°F to +248°F)-40 to +100°C Off-road Machinery - Agriculture - Construction - Forestry - Lawn & Turf Industry: - Mining - Materials Handling Government - Military - Defence Power Generation & Renewable Energy Transportation - Rail - Trucks & Buses ▲ Safety Warning



b) Series is a range of medium pressure filters offering an economical 'multipurpose' filter solution.

Home CN series filters can are offered with two types of element:

Products • The conventional element, making use of the Microglass media and in some sizes also available with ParGelWater removal media.

Support coglass element, an environmentally friendly design without metal inner core. The Eco elements are used in versions of the CN filter with an Eco inner core fixed permanently inside the bowl of the filter. Having no metal content in the element reduces the overall weight with 50% and Industries possible to dispose of the used element in an environmentally friendly way by incineration, also lowering disposal costs.

Services lements are designed with the latest in filter media technology for first class system protection.

Solutionen view of the second second

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files

Related Documents



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

- + Company Information
- + Global Operations
- + Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS. SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS F 🛇



<u>Home</u>

Products

Support

Industries

Services

Solutions

Where to Buy