

Home

Products

Support

Industries oducts / Filters, Collecto... / Replacement Filte... / Liquid Filter Ele... / Absolute Rated Pr... / G105002570N

Services

Absolute Rated Pre and Final Filtration Liquid Filters - PLEATFLOW

where t#BG/105002570N





Absolute rated efficiency 99.98% from 1 to 75 micron, available in a comprehensive range of end cap configurations and continuous lengths up to 40".

View Series Page

Share / Email

Print

Pr

Technical Specifications

 $\begin{tabular}{lll} \begin{tabular}{lll} \begin{$

Length: 9.875" (251 mm) Cage Material: Rigid net
End Cap Configuration: Double open end Seal Material: Nitrile

End Cap Material: Stainless steel / Polypropylene

⚠ Safety Warning

Item Information

The Pleatflow range of filter cartridges offer ideal solutionsfor the pre and final filtration of a wide variety of process liquids, providing long service life at minimal cost.

The 100% polypropylene hardware construction of the filter ensures minimum extractable levels with a range of industrial solvents and optimal integrity when used in physically demanding applications.

Pleatflow filter cartridge manufacturing utilises graded density medias in both glass fibre and polypropylene. The filter design provides broad chemical compatibility, consistent efficiency and superior service life.

With absolute rated filtration efficiency and high surface area, Pleatflow filter cartridges are a cost effective solution for both pre and final filtration.

Applications

Catalyst recovery / Reagent grade chemicals / Make-up and wash waters / Membrane prefiltration

Features

- Absolute rated efficiency 99.98% from 1 to 75 micron.
- Available in a comprehensive range of end cap configurations and continuous lengths up to 40"
- · Continuous length with rigid cage and core
- · High pleated surface area available in both PP and GF



• Consideration suitable for a wide range of clarification applications	
g to existing systems and housings	
Home Provides high strength during operation	
Production we rate and low initial pressure losses	
Stupped e information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.	
CAD Drawings + Files	-
Services	
Stated Documents	-
Where to Buy	



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

+ Company Information
+ Global Operations
+ Help & Support
+ Follow Us:

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

 $\underline{\mathsf{SITE\,MAP}} \ \ \underline{\mathsf{SAFETY}} \ \ \underline{\mathsf{PRIVACY\,POLICIES}} \ \ \underline{\mathsf{TERMS\,AND\,CONDITIONS}}$



<u>Home</u>

Products

<u>Support</u>

<u>Industries</u>

<u>Services</u>

Solutions

Where to Buy