

Home

**Products** 

Support

Industries oducts / Filters, Collecto... / Replacement Filte... / Liquid Filter Ele... / Absolute Rated Pr... / G19A5T5270E

Services

# Absolute Rated Pre and Final Filtration Liquid Filters - PLEATFLOW

whart #BG/19A5T5270E





Absolute rated efficiency 99.98% from 1 to 75 micron, available in a comprehensive range of end cap configurations and continuous lengths up to 40".

View Series Page 

Share / Email 

Print 

Pr

### **Technical Specifications**

Length:19.75" (500 mm)Micron Rating:0.5 μmSeal Material:EPDMFilter Material:PolypropyleneEnd Cap Material:PolypropyleneCage Material:Rigid netEnd Cap Configuration:Double open end

**⚠** Safety Warning

#### Item Information

The Pleatflow range of filter cartridges offer ideal solutionsfor the pre and final filtration of a wide variety of process liquids, providing long service life at minimal cost.

The 100% polypropylene hardware construction of the filter ensures minimum extractable levels with a range of industrial solvents and optimal integrity when used in physically demanding applications.

Pleatflow filter cartridge manufacturing utilises graded density medias in both glass fibre and polypropylene. The filter design provides broad chemical compatibility, consistent efficiency and superior service life.

With absolute rated filtration efficiency and high surface area, Pleatflow filter cartridges are a cost effective solution for both pre and final filtration.

#### Applications

Catalyst recovery / Reagent grade chemicals / Make-up and wash waters / Membrane prefiltration

#### Features

- Absolute rated efficiency 99.98% from 1 to 75 micron.
- Available in a comprehensive range of end cap configurations and continuous lengths up to 40"
- · Continuous length with rigid cage and core
- · High pleated surface area available in both PP and GF





| • Consideration suitable for a wide range of clarification applications  |   |
|--|---|
| g to existing systems and housings   |   |
| Home<br>Provides high strength during operation  |   |
| Production we rate and low initial pressure losses   |   |
| Stupped e information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor. |   |
| CAD Drawings + Files   | - |
| Services   |   |
| Stated Documents   | - |
| Where to Buy   |   |



Parker Sales Company UK

## psc.uk.webform@support.parker.com +44 (0)1926 317878

| + Company Information |
|-----------------------|
| + Global Operations   |
| + Help & Support      |
| + Follow Us:          |

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

 $\underline{\mathsf{SITE\,MAP}} \ \ \underline{\mathsf{SAFETY}} \ \ \underline{\mathsf{PRIVACY\,POLICIES}} \ \ \underline{\mathsf{TERMS\,AND\,CONDITIONS}}$ 



<u>Home</u>

**Products** 

<u>Support</u>

<u>Industries</u>

<u>Services</u>

**Solutions** 

Where to Buy