

Q 🛱 🛇

Home

Products

Support

Industries oducts / Filters, Collecto... / Replacement Filte... / Liquid Filter Ele... / Absolute Rated Pr... / G200102277E

Services

Absolute Rated Pre and Final Filtration Liquid Filters - PLEATFLOW

WPharet t#BG/200102277E





Absolute rated efficiency 99.98% from 1 to 75 micron, available in a comprehensive range of end cap configurations and continuous lengths up to 40".

View Series Page

Share / Email

Print

Pr

Technical Specifications

 $\begin{array}{ll} \mbox{Micron Rating:} & 1 \ \mu m \\ \mbox{Seal Material:} & \mbox{EPDM} \\ \mbox{Length:} & 20" (508 \ mm) \end{array}$

End Cap Material: Polypropylene

A Safety Warning

Filter Material: Cage Material: End Cap Configuration: Glass fibre / Polyester

Rigid net Fin / 226

Item Information

The Pleatflow range of filter cartridges offer ideal solutions for the pre and final filtration of a wide variety of process liquids, providing long service life at minimal cost.

The 100% polypropylene hardware construction of the filter ensures minimum extractable levels with a range of industrial solvents and optimal integrity when used in physically demanding applications.

Pleatflow filter cartridge manufacturing utilises graded density medias in both glass fibre and polypropylene. The filter design provides broad chemical compatibility, consistent efficiency and superior service life.

With absolute rated filtration efficiency and high surface area, Pleatflow filter cartridges are a cost effective solution for both pre and final filtration.

Applications

Catalyst recovery / Reagent grade chemicals / Make-up and wash waters / Membrane prefiltration

Features

- Absolute rated efficiency 99.98% from 1 to 75 micron.
- Available in a comprehensive range of end cap configurations and continuous lengths up to 40"
- Continuous length with rigid cage and core
- · High pleated surface area available in both PP and GF





• Simple returniting to existing systems and housings	Ħ	<u></u>
Home - Provides high strength during operation		
Products • High flow rates and low initial pressure losses		
Support For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker or an authorised Parker distribution of the contact Parker distribution of the cont	ributor.	
Industries CAD Drawings + Files Services		+
SReffated Documents		+
Where to Buy		



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

+	Company	Information
---	---------	-------------

- + Global Operations
- + Help & Support
- + Follow Us:

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



 \mathbb{H} \mathbb{O}

<u>Home</u>

Products

<u>Support</u>

Industries

<u>Services</u>

Solutions

Where to Buy