

Home

Products

Support

Industries

Services

Solutions

Where to Buy

Home / Products / Filters, Collecto... / Filter Assemblies... / Lubrication Oil F... / Low Pressure In-L... / GA210QBE3EG161

Low Pressure In-Line Filter - GA Series

Part #: GA210QBE3EG161





The In-line GA series low pressure filters feature magnetic pre-filtration and a wide range of filter media. A light weight aluminium housing design, with maximum flow rate of 320 l/min and a maximum pressure of 30 bar.

View Series Page

Share / Email

Print

Pr

Technical Specifications

Flow Rate: 0 to 130 l/min Housing Material: Aluminium For Use With: GA 1-120 Operating Temperature: -40 / +100 °C Mounting Type: Inline Indicator Pressure Setting: 12 har 100 LEIF Nitrile Filter Element Type: Seal Material: Bypass Valve Pressure Rating: Pressure Rating: 30 bar 1.5 bar Micron Rating: 10 µm Connection Type: G11/4 Visual on left side, right side plugged Indicator Type: Options: With magnets

Safety Warning

Item Information

The GA Series utilizes an aluminium housing design and can be specified with Microglass, Ecoglass (Leif), Cellulose or Wire mesh filter media.

Supplied with magnetic pre-filtration, making it ideal for use in hydraulic and lubrication oil systems, that can contain high levels of iron and other ferrous contaminants.

GA filters make use of the In-to-Out filter principle, which means there is no possibility for contaminated oil to leak back into the system.

Available with optional Visual or Visual/Electronic differential pressure indicators. Maximum nominal flow 320 l/min and maximum working pressure 30 bar.

Applications: • Gearboxes

- · Bypass filtration
- Stone crushers
- · Lube oil systems
- Metal cutting equipment

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files	+
Related Documents	+

Related Products

Medium Pressure Inline Hydraulic Oil Filter – iProtect® GMF Series



Parker Sales Company UK

 $\underline{\mathsf{psc.uk.webform}} \underline{\mathsf{@support.parker.com}} \\ \underline{\mathsf{+44}} \ \underline{\mathsf{(0)1926}} \ \underline{\mathsf{317878}} \\$

+ Company Information
+ Global Operations
+ Help & Support
+ Follow Us:

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS