Low Pressure In-Line Filter - GA Series

Part #: GA2XXXBP2BG16S06







The In-line GA series low pressure filters feature magnetic pre-filtration and a wide range of filter media. A light weight aluminium housing design, with maximum flow rate of 320 I/min and a maximum pressure of 30 bar.

View Series Page **Ξ** Share / Email **→** Print **⊖**

Technical Specifications

Connection Type: Flow Rate: G1

Indicator Type: Bypass Valve Pressure Rating: 0.8 bar No indicator, port R plugged

Seal Material: Filter Element Type: Nitrile No element For Use With: GA 1-60 Mounting Type: Inline Micron Rating: No element Pressure Rating: 30 bar Indicator Pressure Setting: Housing Material: No indicator Aluminium **Operating Temperature:** -40 / +100 °C Options: With magnets

▲ Safety Warning

Item Information

The GA Series utilizes an aluminium housing design and can be specified with Microglass, Ecoglass (Leif), Cellulose or Wire mesh filter media.

Supplied with magnetic pre-filtration, making it ideal for use in hydraulic and lubrication oil systems, that can contain high levels of iron and other ferrous contaminants.

GA filters make use of the In-to-Out filter principle, which means there is no possibility for contaminated oil to leak back into the system.

Available with optional Visual or Visual/Electronic differential pressure indicators. Maximum nominal flow 320 l/min and maximum working pressure 30 bar.

Applications:

- Gearboxes
- · Bypass filtration
- · Stone crushers
- · Lube oil systems
- · Metal cutting equipment

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files



0 to 150 l/min

Related Documents



Related Products

Medium Pressure Inline Hydraulic Oil Filter – iProtect® GMF Series



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

+ Company Information
+ Global Operations
+ Help & Support
+ Follow Us:

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS