

Home

Products

Support

Industries

Services

Solutions

Where to Buy

Home / Products / Filters, Collecto... / Filter Assemblies... / Lubrication Oil F... / Low Pressure In-L... / GA410QBP2BG201

Low Pressure In-Line Filter - GA Series

Part #: GA410QBP2BG201







The In-line GA series low pressure filters feature magnetic pre-filtration and a wide range of filter media. A light weight aluminium housing design, with maximum flow rate of 320 l/min and a maximum pressure of 30 bar.

View Series Page

Share / Email

Print

Pr

Technical Specifications

Flow Rate: 0 to 150 l/min
For Use With: GA 1-60
Mounting Type: Inline
Pressure Rating: 30 bar
Filter Element Type: 040W Wiremesh
Micron Rating: 40 µm
Indicator Type: No indicator, ports plugged L+R

A Safety Warning

Housing Material:
Operating Temperature:
Indicator Pressure Setting:
Seal Material:
Bypass Valve Pressure Rating:
Connection Type:
Options:

Aluminium
-40 / +100 °C
No indicator
No indicator
Nitrile
1.5 bar
G1
Options:
With magnets

- Curety Warring

Item Information

The GA Series utilizes an aluminium housing design and can be specified with Microglass, Ecoglass (Leif), Cellulose or Wire mesh filter media.

Supplied with magnetic pre-filtration, making it ideal for use in hydraulic and lubrication oil systems, that can contain high levels of iron and other ferrous contaminants.

GA filters make use of the In-to-Out filter principle, which means there is no possibility for contaminated oil to leak back into the system.

Available with optional Visual or Visual/Electronic differential pressure indicators. Maximum nominal flow 320 l/min and maximum wo pressure 30 bar.



Applications: • Gearboxes

- · Bypass filtration
- Stone crushers
- · Lube oil systems
- Metal cutting equipment

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files	+
Related Documents	+

Related Products

Medium Pressure Inline Hydraulic Oil Filter – iProtect® GMF Series



Parker Sales Company UK

+ Follow Us:

 $\underline{\mathsf{psc.uk.webform}} \underline{\mathsf{@support.parker.com}} \\ \underline{\mathsf{+44}} \ \underline{\mathsf{(0)1926}} \ \underline{\mathsf{317878}} \\$

Company Information	
Global Operations	
Help & Support	

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



