

<u>Home</u>

Products

Support

100

Industries oducts / Filters, Collecto... / Filter Assemblies... / Hydraulic Filters / Medium Pressure I... / GMF2202QIVPXG162S04

<u>Med</u>ium Pressure Inline Hydraulic Oil Filter – iProtect® GMF Series

Whate t#BG/MF2202QIVPXG162S04



The Parker GMF Series is a highly compact, environmentally friendly inline hydraulic oil filter that features a re-usable element core. Capable of flows up to 600 L/min (158 GPM). Maximum allowable operating pressure 70 bar (1,015 psi).

(+)

View Series Page 😑 Share / Email 📌 Print 🖨

Technical Specifications

| Flow Rate: | 0 to 60 l/min | Product Type: | Hydraulic Oil Filters | |
|----------------------------------|---|-------------------------------|---|--|
| Brand: | Parker | Product Series: | iProtect® GMF | |
| Bypass Valve Pressure Rating: | No Bypass bar | Options: Seal Material: | No bypass - std collapse element Fluorelastomer | |
| Division: | Hydraulic & Industrial Process Filtration Division EMEA | For Fluid Type: | Hydraulic Oil | |
| Connection Type: | G1 | Materials of Construction: | Housing: Aluminium | |
| Industry: | Forestry, Mining, Marine, Oil & Gas, Construction, Agriculture | Operating | 70.0 har | |
| Filter Element Type: | 02QI Quantumfiber™ | Pressure: | 70.0 bar | |
| | | Operating | -20 to +120 °C | |
| Application: | Industrial Power units, Drilling equipment, Wheeled loaders, Reach stackers, Waste balers, Harvesters, Excavators, Dump and fork lift trucks, Waste management, Power packs, Marine steering units, Hydraulic presses, Forwarders, Firefighting equipment, Deck and Mobile cranes | Temperature: | | |
| | | Specifications Met: | Degree of filtration determined by multipass test according to ISO 16889. | |
| | | Product Style: | Inline Filters | |
| Micron Rating: | 2 µm | Mounting Type: | Inline | |
| Technology: | Hydraulics, Filtration | Indicator | | |
| Indicator Type: | Plugged with steel plug | Pressure | No indicator | |
| | | Setting: | | |
| • | | | | |

▲ Safety Warning

Item Information

The Parker GMF Series is a medium pressure, inline hydraulic oil filter that provides high-efficiency filtration for equipment in demanding environments, including mining, construction, marine, drilling, and agricultural applications. The filter's highly compact design can save over 500 mm of space envelope when compared to traditional inline hydraulic filters. It also features a reusable element core with patented filtration technology, which reduces waste by up to 50% when compared to conventional filters with non-reusable cores.

GMF Series filters serve as a highly economical filtration solution in medium pressure range applications (up to 70 bar), where compact envelopes and excellent fatigue pressure ratings are of the utmost importance. Specific examples include (but are not limited to) offline filter loops, machine tools, oil patch drilling equipment, injection molding machines, hydrostatic drive charge pumps, and pilot lines for servo controls.

an constructed by limitations of a spin-on can or forced into the second structed by limitations of a spin-on can or forced into the second structure of the second structure cost range of high pressure filters. The GMF Series fills this gap and is available with various port connection types, filtration media (2,5,10, <u>Hom</u> 20 micron), and flow capacities (up to 600 L/min) to meet the unique requirements of customers' hydraulic circuits. The GMF Series Inline Hydraulic Oil Filter is designed for use with patented GMF Series Replacement Elements.

Products Benefits:

Prevents damaging of hydraulic circuits or machinery done by dirt, sand, dust, metal, etc.
Support
Tengthens time in between required maintenance intervals, reduces operating costs, and extends overall equipment/machine operational life.

• Compact filter design can save over 500 mm of space envelope when compared to traditional inline hydraulic filters. elements. Services er" design minimizes the likelihood of installation mistakes.

· Protected aftermarket to guarantee the use of genuine products to protect equipment/machinery. Solutions OEM branding (labelling) opportunities.

WCAD Drawings + Files

Related Documents

Related Products



Parker Certified Accumulator Service Centers



Medium Pressure Hydraulic Oil Filter Replacement Elements - iProtect® **GMF** Series



Hydraulic Reservoir Breather / Air Filter -EAB Series



┿

High Pressure Inline Hydraulic Oil Filter iProtect® EPF Series



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

- + Company Information
- + Global Operations
- + Help & Support
- + Follow Us :

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



<u>Home</u>

Products

Support

Industries

Services

Solutions

Where to Buy