

Replacement Elements - HPA Series

Part #: HPR.1919



Replacement elements for HPA Series mini high pressure inline hydraulic oil filters. Flow rates up to 45 l/min and pressure level up to 280 bar.

[View Series Page](#)

[View Catalog\(s\)](#)

[Share / Email](#)

[Print](#)



Technical Specifications

Micron Rating:	125µm	Product Series:	HPA Series
Size:	Length 1	Application:	<ul style="list-style-type: none">• Low Flow Servo Systems• Pilot Lines• Small Mobile Equipment• Lubrication Systems• High Pressure Water Systems
Filter Element Type:	W125 wiremesh	Length:	32 mm
Division:	Hydraulic & Industrial Process Filtration EMEA	Diameter:	31 mm
Brand:	Parker	Options:	Stainless Steel Parts
Technology:	Filtration		
Product Type:	Hydraulic Filter		
Filter Type:	Replacement Elements		

[Safety Warning](#)

Item Information

HPA Series mini high pressure filter are small and easy to install.

HPA is a robust solution to the low flow applications that larger filters are unable to effectively handle.

Made from high strength brass stampings and supplied with a wide range of media options. HPA Series mini pressure filters provide reliable, high efficiency protection.

Typical applications:

- Low Flow Servo Systems
- Pilot Lines
- Small Mobile Equipment
- Lubrication Systems
- High Pressure Water Systems

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files



Related Documents



Parker Sales Company UK

psc.uk.webform@support.parker.com
+44 (0)1926 317878

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)



