

<u>Home</u>

Products

Support

Industries oducts / Filters, Collecto... / Replacement Filte... / Liquid Filter Ele... / Fulflo Honeycomb ... / M10A

Services Fulfio Honeycomb Ultrafine Wound Filter Cartridges | Designed for critical 0.5 micron filtration applications

Part #: M10A



Parker has been a leader in filter media innovation and performance since we first invented the Honeycomb[™] Filter Tube over 65 years ago. Parker has the world's largest manufacturing capacity for wound cartridges, offering superior quality.

View Series Page ⋮Ξ	View Catalog(s) 🖸
Share / Email 🔿	Print 🖶

Technical Specifications

Core Cover	Glass paper with polyester overlay	Inside Diameter:	1 inch
Material:		Specifications	FDA listed as acceptable for potable and edible liquid
Industry:	Food and Beverage	Met:	contact according to CFR Title 21
Brand:	domnick hunter	Flow Rate:	3 GPM per 10 inch
Function:	Clarification/Prefiltration/Polishing	Core Type:	Polypropylene
Media:	Polypropylene	End Cap	DOE
Filter	Marind	Configuration:	
Construction:	Wound	Options:	FDA Grade Polypropylene Fiber
Micron Rating:	0.5 μm	Seal Material:	No Gasket
Outside Diameter:	2 7/16 inch	Length (inch):	10
A Safety Warning			

Item Information

Parker has been a leader in filter media innovation and performance since we first invented the Honeycomb[™] Filter Tube over 65 years ago. Parker has the world's largest manufacturing capacity for wound cartridges, offering superior quality along with technical, engineering and marketing support.

Effective removal ratings at nominal 90% efficiency from 0.5µm to 150µm.

- Features/Benefits
- A broad range of media provide excellent compatibility with a variety of organic solvents, animal, petroleum and vegetable oils
- Optional core covers and end treatments assure fiber migration control
- Multiple length cartridges minimize change-out time, eliminate spacers and are available to fit competitive filter vessels
- FDA grade polypropylene (DOE only) cartridges certified to ANSI/ NSF61 standard for contact with drinking water components
- · Continuous strand winding geometry provides performance consistency
- One-piece metal extended center core option eliminates the need for cartridge guides in all competitive and Fulflo® multi-cartridge vessels



Related Documents
CAD Drawings + Files
Populications Filtration of Oxidizing Agents Petroleum Oil Filtration Petroleum Oil Filtration Potorentrated Filtration Photo Filtration Photo Filtration Potable Liquid Filtration Potable Liquid Filtration Outdown Set
Parkers in extender is available for polypropylene cores Parker pylene, nylon and polyester materials are FDA listed as acceptable or polyple and edible liquid contact according to CFR Title 21 or mgreno cap options available Home9001:2008 registered company



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

- + Company Information
- + Global Operations
- + Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS. SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



<u>Home</u>

Products

Support

Industries

Services

Solutions

Where to Buy