

<u>Home</u>

Products

Support

Industriesoducts / Filters, Collecto... / Replacement Filte... / Liquid Filter Ele... / Fulflo Honeycomb ... / M11R19-4A

## Services Fulflo Honeycomb Wound Filter Cartridges | Multi-purpose design with Solutions nominal 90% efficiency from 0.5-150 micron

Part #: M11R19-4A



Parker has been a leader in filter media innovation and performance since we first invented the Honeycomb<sup>™</sup> Filter Tube over 65 years ago. Parker has the world's largest manufacturing capacity for wound filter cartridges, offering superior quality.

View Catalog(s) 🗹

## **Technical Specifications**

Length (inch): Industry: End Cap Finish: Core Cover Material: Brand: Function: Media: Filter Construction: Inside Diameter: Specifications Met:

▲ Safety Warning

Item Information

19 1/2 Food and beverage No end treatment No core cover domnick hunter Clarification/Prefiltration/Polishing Polypropylene FDA grade Wound 1 inch FDA

## $\bigcirc$

Flow Rate: End Cap Material: Filter Construction: Core Type: Micron Rating (µm): Packaging: End Cap Configuration: Seal Material: Outside Diameter (inch): 5 GPM per 10 inch No end cap Polypropylene FDA grade Polypropylene 50 STANDARD PACKAGING DOE No gasket 2 7/16

Parker has been a leader in filter media innovation and performance since we first invented the Honeycomb<sup>™</sup> Filter Tube over 65 years ago. Parker has the world's largest manufacturing capacity for wound filter cartridges, offering superior quality along with technical, engineering and marketing support.

Effective removal ratings at nominal 90% efficiency from 0.5µm to 150µm.

Features/Benefits

- · A broad range of media provide excellent compatibility with a variety of organic solvents, animal, petroleum and vegetable oils
- Optional core covers and end treatments assure fiber migration control
- Multiple length filter cartridges minimize change-out time, eliminate spacers and are available to fit competitive filter vessels
- FDA grade polypropylene (DOE only) filter cartridges certified to ANSI/ NSF61 standard for contact with drinking water components

<ul> <li>A dividing geometry provides performance consistency extended center core option eliminates the need for cartridge guides in all competitive and Fulflo® multi-cartri extender is available for polypropylene cores</li> <li>Cotton, polypropylene, nylon and polyester materials are FDA listed as acceptable for potable and edible liquid contact accordin offing/end cap options available</li> <li>ISO9001:2008 registered company</li> <li>PAPPLICETIONS</li> <li>Oxidizing Agent Filtration</li> <li>Supposteum Oil Filtration</li> <li>Concentrated Filtration</li> <li>Potable Liquid Filtration</li> <li>Prefilter for Membranes</li> <li>Where rai Boyd Filtration</li> </ul>	
Organic Acids & Solvent Filtration     CAD Drawings + Files	+
Related Documents	+



## Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

- + Company Information
- + Global Operations
- + Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2023

"NGINEERING YOUR SUCCESS.



Y PRIVACY POLICIES TERMS AND CONDITIONS



<u>Home</u>

- Products
- Support

Industries

Services

Solutions

Where to Buy

 $\bigcirc$