

**Products** 

Support

Industries oducts / Filters, Collecto... / Replacement Filte... / Liquid Filter Ele... / Fulflo Honeycomb ... / M23R40AXA

# Fulflo Honeycomb Wound Filter Cartridges | Multi-purpose design with nominal 90% efficiency from 0.5-150 micron

#### Part #: M23R40AXA





Parker has been a leader in filter media innovation and performance since we first invented the Honeycomb™ Filter Tube over 65 years ago. Parker has the world's largest manufacturing capacity for wound filter cartridges, offering superior quality.

View Series Page **Ξ** View Catalog(s)

Share / Email 🗪 Print =

## **Technical Specifications**

Micron Rating (µm): Industry: Food and beverage End Cap Finish: No end treatment Core Cover Material: No core cover Brand: domnick hunter

Clarification/Prefiltration/Polishing Function: Polypropylene FDA grade

Media: Filter Construction: Inside Diameter: 1 inch Specifications Met: FDA

▲ Safety Warning

Flow Rate: 5 GPM per 10 inch End Cap Material: No end cap Polypropylene FDA grade Filter Construction: Core Type: Polypropylene

Packaging: STANDARD PACKAGING End Cap Configuration: DOE/Extended polypro core

Seal Material: No gasket Length (inch): Outside Diameter (inch): 27/16

### Item Information

Parker has been a leader in filter media innovation and performance since we first invented the Honeycomb™ Filter Tube over 65 years ago. Parker has the world's largest manufacturing capacity for wound filter cartridges, offering superior quality along with technical, engineering and marketing support.

Effective removal ratings at nominal 90% efficiency from 0.5µm to 150µm.

#### Features/Benefits

- · A broad range of media provide excellent compatibility with a variety of organic solvents, animal, petroleum and vegetable oils
- · Optional core covers and end treatments assure fiber migration control
- · Multiple length filter cartridges minimize change-out time, eliminate spacers and are available to fit competitive filter vessels
- FDA grade polypropylene (DOE only) filter cartridges certified to ANSI/ NSF61 standard for contact with drinking water components

extended center core option eliminates the need for cartridge guides in all competitive and Fulflo® multi-cartridge vessels extender is available for polypropylene cores
Cotton, polypropylene, nylon and polyester materials are FDA listed as acceptable for potable and edible liquid contact according to CFR Title 21 Original Control CFR Title 21 Original CFR Title 21
• ISO9001:2008 registered company  PAGHICAN ON
Oxidizing Agent Filtration
• Concentrated Filtration
Industries olutions Filtration
Potable Liguid Filtration

Prefilter for Membranes
 Wheirertal Bojd Filtration
 Organic Acids & Solvent Filtration

CAD Drawings + Files +

Related Documents +



Seavides Filtration

SoWaten iltration

• Dilute Acids & Alkali Filtration

**Parker Sales Company UK** 

+ Follow Us:

<u>psc.uk.webform@support.parker.com</u> +44 (0)1926 317878

+ Company Information	
+ Global Operations	
+ Help & Support	

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



<u>Home</u>

**Products** 

Support

<u>Industries</u>

<u>Services</u>

**Solutions** 

Where to Buy