

Pressure Gauges - Reservoir Equipment

Part #: PGC0631060



Parker Pressure Gauges provide reliable visual indication of system pressure, having several pressure ranges up to 600 bar and available with multiple connection options.

[View Series Page](#) [Share / Email](#) [Print](#)

Technical Specifications

| | | |
|---------------------|--|---------------------------------------|
| Division: | Hydraulic and Industrial Process Filtration EMEA | Case: BS 304 S15 Stainless Steel |
| Operating Pressure: | 0-60 bar (0-870 psi) | Window: Acrylic |
| Port Size: | G1/4 | Movement: Brass |
| Brand: | Parker | Dial: White Aluminium |
| Product Type: | Pressure Gauge | Pointer: Black Aluminium |
| Diameter: | 63 mm (2.5 inch) | Panel Mounting |
| | | IP 65 |
| | | Bourdon Tube: Phosphor bronze, C-type |

[Safety Warning](#)

Item Information

Pressure gauges are used in several applications to give an instant visual indication of system pressure level.

Parker pressure gauges have a stainless steel casing and acrylic glass window. They are filled with 99,7% glycerine.

Features

- Temperature range up to 60°C.
- Accuracy down to 1.0% of full scale.
- IP Class 65.

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files



Related Documents



Parker Sales Company UK

psc.uk.webform@support.parker.com
[+44 \(0\)1926 317878](tel:+44(0)1926317878)

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

