

Ħ \bigcirc

Products

Support

Industries oducts / Filters, Collecto... / Filter Assemblies... / Hydraulic Filters / Low Pressure In-L... / SFB01425FSVPXG161

Services

Low Pressure In-Line Single Fuel Filter - SFBO Series

Whart t#BB/FBO1425FSVPXG161





The SFBO is a series of low pressure single Fuel Filters for diesel filtration in Marine applications. Suitable for flows up to 90 l/min and pressures up to 10 bar.

View Series Page **:** Share / Email **→** Print **-**

Technical Specifications

Flow Rate: Bypass Valve Pressure Rating: Connection Type:

Filter Element Type: Micron Rating: **⚠** Safety Warning

0 to 90 I/min No Bypass

G1" on right hand side Filter Separator Element

25 µm

Options: Indicator Type:

Indicator Pressure Setting: Seal Material:

Indicator port plugged No indicator Fluoroelastomer

Item Information

The new SFBO filter brings Parker FBO filters to an engine room environment for continuous diesel filtration.

The cast iron head and steel bowls mean that it is perfect for use in Marine applications.

The SFBO comes with two bowl lengths, allowing diesel flows up to 90 l/min.

Depending on the elements inside, the unit can be used as prefilter, water separator/particle filter or as water absorption filter. The SFBO filter is easy to service: no special tools are required.

Applications:

- · Fuel systems on diesel engines
- · Marine fuel docks
- · Diesel fuel dispensing system

CAD Drawings + Files



Related Documents





Ħ \bigcirc

Productsales Company UK

<mark><psc.uk₊webform@su< mark=""></psc.uk₊webform@su<></mark>	<u>pport.parker.com</u>
<u>ջըբբրկելwebform@su</u> +44 (0)1926 317878	

<u>+44 (0)1926 317878</u>	
<u>Industries</u>	
Stervices any Information	
Sbl@liabras Operations	
<u>Wherajtos Ви</u> фрогt	
+ Follow Us:	

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



 \exists \bigcirc

<u>Home</u>

Products

<u>Support</u>

<u>Industries</u>

Services

Solutions

Where to Buy