

Q



 \bigcirc

Home

Products

Support

Industries oducts / Filters, Collecto... / Replacement Filte... / Liquid Filter Ele... / Fulflo Honeycomb ... / T11R10A

Services

Fulflo Honeycomb Wound Filter Cartridges | Multi-purpose design with nominal 90% efficiency from 0.5-150 micron

Part #: T11R10A





Parker has been a leader in filter media innovation and performance since we first invented the Honeycomb™ Filter Tube over 65 years ago. Parker has the world's largest

manufacturing capacity for wound filter cartridges, offering superior quality.

View Series Page **:**≡

View Catalog(s)

Share / Email

Print 🖶

Technical Specifications

Industry: Food and beverage
End Cap Finish: No end treatment
Core Cover Material: No core cover
Brand: domnick hunter

Function: Clarification/Prefiltration/Polishing
Media: Polypropylene Industrial grade

Filter Construction: Wound Inside Diameter: 1 inch Specifications Met: N/A

Flow Rate: 5 GPM per 10 inch

⚠ Safety Warning



End Cap Material: No end cap

Filter Construction: Polypropylene Industrial grade

Core Type: Polypropylene

Micron Rating (μm):

Packaging: STANDARD PACKAGING

End Cap Configuration:

Seal Material:

Length (inch):

Outside Diameter (inch):

DOE

No gasket

10

2 7/16

Item Information

Parker has been a leader in filter media innovation and performance since we first invented the Honeycomb™ Filter Tube over 65 years ago. Parker has the world's largest manufacturing capacity for wound filter cartridges, offering superior quality along with technical, engineering and marketing support.

Effective removal ratings at nominal 90% efficiency from 0.5µm to 150µm.

Features/Benefits

- · A broad range of media provide excellent compatibility with a variety of organic solvents, animal, petroleum and vegetable oils
- Optional core covers and end treatments assure fiber migration control
- Multiple length filter cartridges minimize change-out time, eliminate spacers and are available to fit competitive filter vessels
- FDA grade polypropylene (DOE only) filter cartridges certified to ANSI/ NSF61 standard for contact with drinking water components

and winding geometry provides performance consistency a extended center core option eliminates the need for cartridge guides in competitive and Fulflo® mu a special snap in extender is available for polypropylene cores	
Horneton, polypropylene, nylon and polyester materials are FDA listed as acceptable for potable and edible liquid contact a	according to CFR Title 21
• O-ring/end cap options available	
PISO 001:2008 registered company Applications	
s Oxidizing Agent Filtration Petroleum Oil Filtration	
ットetrol eum Oil Filtration	
· Concentrated Filtration Inclusives Olutions Filtration	
In the state of th	
• Potable Liquid Filtration	
Services: Filtration	
• Dilute Acids & Alkali Filtration	

Where to Buy Filtration
Organic Acids & Solvent Filtration

CAD Drawings + Files

Related Documents

+



Solutionsiltration • Prefilter for Membranes

Parker Sales Company UK

 $\frac{psc.uk.webform@support.parker.com}{+44 \ (0) 1926 \ 317878}$

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us:

© PARKER HANNIFIN CORP 2023

"NGINEERING YOUR SUCCESS.

Y PRIVACY POLICIES TERMS AND CONDITIONS



 \exists \bigcirc

<u>Home</u>

Products

<u>Support</u>

<u>Industries</u>

Services

Solutions

Where to Buy

