

[Home](#)

[Products](#) ▾

[Help & Support](#)

[Industries](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Hydraulic Filters](#) / [Tanktop Mounted R...](#) / TTF1010QBP2EGM32B

[Where To Buy](#)

# Tanktop Mounted Return Line Filter - TTF Series

Part #: TTF1010QBP2EGM32B



The TTF Series features pre-filtration by means of a magnet column and a quick response bypass with low hysteresis. Maximum pressure 10 bar. Maximum flow 500 l/min. A second return port is an available option as is a filling port in the filter cover.

[View Series Page](#) [Share / Email](#) [Print](#)

## Technical Specifications

|                               |  |                               |                                    |
|-------------------------------|--|-------------------------------|------------------------------------|
| Flow Rate:                    | 0 to 540 l/min   | Indicator Type:               | No indicator, port plugged L+R     |
| Brand:                        | Parker   | Options:                      | Diffuser type P, No magnets        |
| Bypass Valve Pressure Rating: | 1.5 bar  | Product Series:               | TTF Series                         |
| Division:                     | Hydraulic & Industrial Process Filtration Division EMEA                      | Product Style:                | Tanktop Mounted Return Line Filter |
| Connection Type:              | G2 + G1½   | Seal Material:                | Nitrile                            |
| Industry:                     | Trucks and Buses, Materials Handling, Construction                           | Bypass Valve Pressure Rating: | 1.5 bar                            |
| Filter Element Type:          | 10Q Microglass   | Operating Pressure:           | 10 bar, 150 psi                    |
| Application:                  | Refuse Trucks, Mobile Cranes, Power Packs, Wheel Loaders, Drilling Equipment | Operating Temperature:        | -40 to 100 °C                      |
| Micron Rating:                | 10 µm  | Filter Element Type:          | 10Q Microglass                     |
| Technology:                   | Filtration, Hydraulics   | Mounting Type:                | Tanktop Mounted                    |
| Product Type:                 | Hydraulic Oil Filters  | Indicator Pressure Setting:   | No indicator                       |

[Safety Warning](#)

## Item Information

Parker TTF tank top mounted return line filters feature pre-filtration by means of a magnet column and a quick response bypass with low hysteresis. Thanks to the "In-to-Out" filter principle, contaminated oil cannot leak back into the system during element change.

TTF filters are available in formats capable of handling flow rates up to 500 l/min. They can operate up to a maximum working pressure of 10 bar. Options include a filling port in the filter cover, a second return port and customised diffusers can be specified.

### Features and Benefits

- 10 bar rated filter can be utilised for severe return line applications for reduced downtime due to premature filter failures
- Patented *LEIF*® elements safeguard filtration quality



filtration removes ferrous particles, even during bypass conditions. For improved cleanliness levels and extended element life time

Home [Home](#) [Products](#) [CAD Drawings + Files](#) [Industries](#) [Related Documents](#) [Where to Buy](#)

• Quick response bypass with low hysteresis for improved system protection.

[CAD Drawings + Files](#) +

[Industries](#)

[Related Documents](#) +

[Where to Buy](#)



### Americas

USA, Canada, Mexico

[cparker@support.parker.com](mailto:cparker@support.parker.com)  
[1-800-272-7537](tel:1-800-272-7537)

### Europe

[00800 27 27 5374](tel:00800-27-27-5374)

**AOG (Aircraft on Ground)**

[1-949-851-4357](tel:1-949-851-4357)

+ [Company Information](#)

+ [Global Operations](#)

+ [Help & Support](#)

+ [Follow Us :](#)

© PARKER HANNIFIN CORP 2023

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)



[Home](#)

[Products](#) ▾

[Help & Support](#)

[Industries](#)

[Where To Buy](#)

---