Replacement Elements - HPA Series

Part #: UC-R-1229-13

Replacement elements for HPA Series mini high pressure inline hydraulic oil filters. Flow rates up to 45 l/min and pressure level up to 280 bar.

View Series Page | View Catalog(s)

Share / Email | Print

Technical Specifications

Size:	Length 1
Filter Element Type:	W013 wiremesh
Micron Rating:	13µm
Division:	Hydraulic & Industrial Process Filtration EMEA
Brand:	Parker
Technology:	Filtration
Product Type:	Hydraulic Filter
Filter Type:	Replacement Elements
Product Series:	HPA Series
Application:	• Low Flow Servo Systems • Pilot Lines • Small Mobile Equipment • Lubrication Systems • High Pressure Water Systems
Length:	32 mm
Diameter:	31 mm
Options:	Stainless Steel Parts

Safety Warning

Item Information

HPA Series mini high pressure filter are small and easy to install.

HPA is a robust solution to the low flow applications that larger filters are unable to effectively handle.

Made from high strength brass stampings and supplied with a wide range of media options.HPA Series mini pressure filters provide reliable, high efficiency protection.

Typical applications:
• Low Flow Servo Systems
• Pilot Lines
• Small Mobile Equipment
• Lubrication Systems
• High Pressure Water Systems

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

C[Parker]s + Files

Related Documents

Parker Sales Company UK

psc.uk.webform@support.parker.com
+44 (0)1926 317878

ENGINEERING YOUR SUCCESS.