

Replacement Elements - HPA Series

Part #: UC-R-1229-16



Replacement elements for HPA Series mini high pressure inline hydraulic oil filters. Flow rates up to 45 l/min and pressure level up to 280 bar.

[View Series Page](#)[View Catalog\(s\)](#)[Share / Email](#)[Print](#)

Technical Specifications

Micron Rating:	16µm	Product Series:	HPA Series
Size:	Length 1	Application:	<ul style="list-style-type: none">• Low Flow Servo Systems• Pilot Lines• Small Mobile Equipment• Lubrication Systems• High Pressure Water Systems
Filter Element Type:	W016 wiremesh	Length:	32 mm
Division:	Hydraulic & Industrial Process Filtration EMEA	Diameter:	31 mm
Brand:	Parker	Options:	Stainless Steel Parts
Technology:	Filtration		
Product Type:	Hydraulic Filter		
Filter Type:	Replacement Elements		

[Safety Warning](#)

Item Information

HPA Series mini high pressure filter are small and easy to install.

HPA is a robust solution to the low flow applications that larger filters are unable to effectively handle.

Made from high strength brass stampings and supplied with a wide range of media options. HPA Series mini pressure filters provide reliable, high efficiency protection.

Typical applications:

- Low Flow Servo Systems
- Pilot Lines
- Small Mobile Equipment
- Lubrication Systems
- High Pressure Water Systems

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.



[Home](#)

[Products](#)
Related Documents
[Support](#)



[Industries](#)



[Parker Sales Company UK](#)
[Where to Buy](#)

psc.uk.webform@support.parker.com
[+44 \(0\)1926 317878](tel:+44(0)1926317878)

+ [Company Information](#)

+ [Global Operations](#)

+ [Help & Support](#)

+ [Follow Us :](#)



[Home](#)

[Products](#)

[Support](#)

[Industries](#)

[Services](#)

[Solutions](#)

[Where to Buy](#)
