

Plugs for Ermeto DIN high pressure hydraulic fittings

Part #: VKAM12SCF



The main function of plugs for Ermeto DIN high pressure hydraulic fittings is the safe closure of ports in hydraulic systems. This broad range of fittings is available in steel and in stainless steel.

[View Series Page](#) ☰[View Catalog\(s\)](#) ↗[Share / Email](#) ↗[Print](#) 🖨

Technical Specifications

Seal Material:	NBR	Connection Size:	n/a
Product Series:	Heavy	Connection Tube Outside Diameter:	12 mm
Shape:	Blanking plug with nut for cones	Materials of Construction:	Steel
Connection Type:	24° DKO swivel	Optional Accessories:	n/a

California Residents: Prop-65 Warning

Safety Warning

Item Information

The function of plugs for Ermeto DIN high pressure hydraulic fittings is the safe closure of ports in hydraulic systems. This broad range of plugs, types ROV, VSTI M-OR up to BUZM is available in steel and in a stainless steel version.

Markets:

- Automotive
- Defense
- Energy
- Environment
- Industrial
- Infrastructure
- Machine Tools
- Materials Handling



- Mobile
- Oil and Gas
- Power Generation
- Process
- Transportation
- Water

Applications:

- Suitable for general hydraulic applications.

Features/ benefits:

- Steel and Stainless steel fittings have a high corrosion resistance to aggressive media and environmental influences. These features extend the range of applications.
- High pressure: The plugs have pressure ratings of up to 630 bar, so that the plugs can be used in a wide range of applications.

CAD Drawings + Files



Related Documents



Related Products



**Ermeto
DIN
fitting
components
for
high
pressure
hydraulic
tube
fittings**




**Accessories
for
Ermeto
hydraulic
DIN
fittings**



**Seamless
EO
tubes
and
tube
bends**



**Assembly
tools
for EO
assembly
machines**



**Cutting
and
bending
tools**



Americas

USA, Canada, Mexico

cparker@support.parker.com
[1-800-272-7537](tel:1-800-272-7537)

Europe

[00800 27 27 5374](tel:00800-27-27-5374)

AOG (Aircraft on Ground)

[1-949-851-4357](tel:1-949-851-4357)

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :



