

XRF Analyser

Part #: XRF6111



The XRF analyser offers the ability to spot check the Sulphur content of fuel oil. The XRF will help shipowners and operators ensure compliance with the latest International Maritime Organization (IMO) regulations for emissions.

[View Series Page](#)
[Share / Email](#)
[Print](#)

Technical Specifications

Brand:	Parker	Width:	212 mm
Division:	Hydraulic & Industrial Process Filtration Division EMEA	Weight:	4.5 kg
Industry:	Marine, Oil and Gas, Energy Generation, Aviation, Industrial Plant	Materials of Construction:	Lead, Cadmium, Silver, Molybdenum, Zinc, Copper, Nickel, Chromium, Vanadium, Titanium, Calcium, Sulphur, Iron, Manganese
Technology:	Filtration, Hydraulics	Body Material:	Steel, Plastic
Product Type:	Condition Monitor	Specifications Met:	CE Certification
Product Style:	Elemental	Cycle Time:	130 second
For Fluid Type:	Lube Oil Fuels	Communication Interface:	USB
Operating Temperature:	15 to 30 °C	Electrical Requirements:	9 VDC
Sensing Method:	X-ray Fluorescence	Operating Humidity:	< 70%
Height:	258 mm	Signal Output:	RS233
Length:	258 mm		

[Safety Warning](#)

Item Information

CAD Drawings + Files

Related Documents



Americas

USA, Canada, Mexico

cparker@support.parker.com
[1-800-272-7537](tel:1-800-272-7537)

Europe

[00800 27 27 5374](tel:00800-27-27-5374)

AOG (Aircraft on Ground)

[1-949-851-4357](tel:1-949-851-4357)

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

