

**Home** 

**Products** 

Support

**Industries** 

**Services** 

**Solutions** 

Where to Buy

Home / Products / Filters, Collecto... / Filter Assemblies... / Lubrication Oil F... / Low Pressure In-L... / GA4040WBE3EG201

# Low Pressure In-Line Filter - GA Series

#### Part #: GA4040WBE3EG201







The In-line GA series low pressure filters feature magnetic pre-filtration and a wide range of filter media. A light weight aluminium housing design, with maximum flow rate of 320 l/min and a maximum pressure of 30 bar.

View Series Page 

Share / Email 

Print 

Pr

## **Technical Specifications**

Flow Rate: 0 to 300 l/min

For Use With: GA 2-230

Filter Element Type: 040W Wiremesh

Micron Rating: 40 µm

Indicator Type: No indicator, ports plugged L+R

Indicator Pressure Setting:

Seal Material:

Bypass Valve Pressure Rating:

Connection Type:

Options:

No indicator

No indicator

1.5 bar

61½

With magnets

▲ Safety Warning

#### **Item Information**

The GA Series utilizes an aluminium housing design and can be specified with Microglass, Ecoglass (Leif), Cellulose or Wire mesh filter media.

Supplied with magnetic pre-filtration, making it ideal for use in hydraulic and lubrication oil systems, that can contain high levels of iron and other ferrous contaminants.

GA filters make use of the In-to-Out filter principle, which means there is no possibility for contaminated oil to leak back into the system.

Available with optional Visual or Visual/Electronic differential pressure indicators. Maximum nominal flow 320 l/min and maximum working pressure 30 bar.

Applications:

Gearboxes



- Bypass filtration Stone crushers
- · Lube oil systems
- Metal cutting equipment

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

# **CAD Drawings + Files Related Documents**

## **Related Products**

Medium Pressure Inline Hydraulic Oil Filter – iProtect® **GMF Series** 



**Parker Sales Company UK** 

<u>psc.uk.webform@support.parker.com</u> +44 (0)1926 317878

_	Company	Information
+	Company	information

+ Global Operations

+ Help & Support

+ Follow Us:

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS

